




Gewinderohre, schwarz

geschweißt oder nahtlos

Abmessung		DIN 2440		DIN 2441	
Zoll	DN	mm	kg/mtr.	mm	kg/mtr.
1/8	6	10,2 x 2,35	0,41	10,2 x 2,65	0,50
1/4	8	13,5 x 2,35	0,66	13,5 x 2,90	0,77
3/8	10	17,2 x 2,35	0,86	17,2 x 2,90	1,02
1/2	15	21,3 x 2,65	1,22	21,3 x 3,25	1,45
3/4	20	26,9 x 2,65	1,58	26,9 x 3,25	1,90
1	25	33,7 x 3,25	2,44	33,7 x 4,05	2,97
1 1/4	32	42,4 x 3,25	3,14	42,4 x 4,05	3,85
1 1/2	40	48,3 x 3,25	3,61	48,3 x 4,05	4,43
2	50	60,3 x 3,65	5,10	60,3 x 4,50	6,17
2 1/2	65	76,1 x 3,65	6,51	76,1 x 4,50	7,90
3	80	88,9 x 4,05	8,47	88,9 x 4,85	10,10

Alle Gewinderohre erhalten Sie natürlich auch in verzinkter Ausführung



Konstruktionsrohre

schwarz, geschweißt

Abmessung	Zoll	kg/mtr.
21,3 x 2,0	½	0,91
26,9 x 2,0	¾	1,23
33,7 x 2,5	1	1,91
42,4 x 2,5	1 ¼	2,44
48,3 x 2,5	1 ½	2,81
60,3 x 2,5	2	3,55

Geländerrohre

schwarz oder verzinkt, geschweißt

Abmessung	Zoll	<i>schwarz</i>	<i>verzinkt</i>
		kg/mtr.	kg/mtr.
21,3 x 1,75	½	0,84	0,92
26,9 x 2,0	¾	1,08	1,20
33,7 x 2,0	1	1,55	1,70
42,4 x 2,0	1 ¼	2,0	2,20
48,3 x 2,0	1 ½	2,28	2,50
60,3 x 2,0	2	2,86	3,15



Siederohre, DIN 2448 nahtlos

Abmessung	kg/mtr.
20,0 x 2,0	0,89
21,3 x 2,0	0,96
26,9 x 2,3	1,40
30,0 x 2,6	1,76
33,7 x 2,6	1,99
38,0 x 2,6	2,27
42,4 x 2,6	2,55
44,5 x 2,6	2,69
48,3 x 2,6	2,93
51,0 x 2,6	3,10
57,0 x 2,9	3,87
60,3 x 2,9	4,11
63,5 x 2,9	4,33
70,0 x 2,9	4,80
76,1 x 2,9	5,24
82,5 x 3,2	6,26
88,9 x 3,2	6,76
101,6 x 3,6	8,70
108,0 x 3,6	9,27
114,3 x 3,6	9,83
133,0 x 4,0	12,70
139,7 x 4,0	13,40
159,0 x 4,5	17,10



Siederohre DIN 2458

geschweißt

Abmessung	kg/mtr.
17,2 x 1,8	0,69
20,0 x 2,0	0,89
21,3 x 2,0	0,96
25,0 x 2,0	1,13
26,9 x 2,0 26,9 x 2,3	1,23 1,40
30,0 x 2,0 30,0 x 2,6	1,38 1,76
31,8 x 2,0 31,8 x 2,6	1,47 1,87
33,7 x 2,3 33,7 x 2,6	1,78 1,99
38,0 x 2,0 38,0 x 2,3 38,0 x 2,6	1,78 2,02 2,27
42,4 x 2,0 42,4 x 2,3 42,4 x 2,6	1,99 2,27 2,55
44,5 x 2,0 44,5 x 2,3 44,5 x 2,6	2,10 2,39 2,69
48,3 x 2,3 48,3 x 2,6	2,61 2,93
51,0 x 2,3 51,0 x 2,6	2,76 3,10
54,0 x 2,6	3,30
57,0 x 2,3 57,0 x 2,6 57,0 x 2,9	3,10 3,49 3,87
60,3 x 2,6 60,3 x 2,9	3,70 4,11

Abmessung	kg/mtr.
63,5 x 2,3 63,5 x 2,9	3,47 4,33
70,0 x 2,6 70,0 x 2,9	4,32 4,80
76,1 x 2,9 76,1 x 2,9	4,71 5,24
82,5 x 2,6 82,5 x 2,9	5,12 5,69
88,9 x 2,9 88,9 x 3,2	6,15 6,76
95,0 x 3,6	8,11
101,6 x 2,9 101,6 x 3,6	7,06 8,70
108,0 x 2,9 108,0 x 3,6	7,52 9,27
114,3 x 3,2 114,3 x 3,6	8,77 9,83
121,0 x 4,0 127,0 x 4,0	11,5 12,1
133,0 x 3,6 133,0 x 4,0	11,5 12,7
139,7 x 3,6 139,7 x 4,0	12,1 13,4
152,4 x 4,5	16,4
159,0 x 4,0 159,0 x 4,5	15,3 17,1
168,3 x 4,0 168,3 x 4,5	16,2 18,2
177,8 x 5,0	21,3




Siederohre DIN 2458

geschweißt

Abmessung	kg/mtr.
193,7 x 4,5	21,0
193,7 x 5,6	26,0
219,1 x 4,5	23,8
219,1 x 5,6	29,5
219,1 x 5,9	31,0
219,1 x 6,3	33,1
244,5 x 5,0	29,5
244,5 x 6,3	37,1
273,0 x 5,0	33,0
273,0 x 6,3	41,4
323,9 x 5,6	44,0
323,9 x 7,1	55,5

Abmessung	kg/mtr.
355,6 x 5,6	48,3
355,6 x 8,0	68,6
406,4 x 6,3	62,2
406,4 x 8,8	86,3
457,0 x 6,3	70,0
457,0 x 10,0	110,0
508,0 x 6,3	77,9



Quadratrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
10 x 10 x 1,00 1,25 1,50	0,28 0,34 0,40	- - -	+- + +	0,32 0,38 0,44	++ ++ +
12 x 12 x 1,00 1,50	0,35 0,49	- -	+- +	0,40 0,53	++
15 x 15 x 1,00 1,50 2,00	0,44 0,63 0,81	- - +	+- + -	0,51 0,70 0,89	++ ++ +
16 x 16 x 1,00 1,50 2,00	0,47 0,67 0,85	- - -	+- + +	0,54 0,74 0,95	++ ++ +
18 x 18 x 1,50 2,00	0,77 1,00	- -	+- +	0,85 1,08	++
20 x 20 x 1,00 1,25 1,50 2,00 2,50 3,00	0,60 0,73 0,87 1,12 1,33 1,60	- - - +	+- + + +- - -	0,69 0,82 0,96 1,22 1,45 1,68	++ ++ + ++ + +
22 x 22 x 1,50	0,95	-	+	1,07	+
25 x 25 x 1,00 1,25 1,50 2,00 2,50 3,00	0,75 0,93 1,10 1,44 1,76 1,92	- - - +	+- + + +- - -	0,86 1,04 1,22 1,56 1,88 2,17	++ ++ + ++ + +
30 x 30 x 1,00 1,25 1,50 2,00 2,50 3,00 4,00	0,91 1,13 1,34 1,75 2,15 2,39 3,32	- - - +	+- + + +- - - -	1,05 1,26 1,47 1,90 2,29 2,67 3,40	++ ++ + ++ + + +
32 x 32 x 1,50 2,00	1,44 1,88	- -	+- +	1,58 2,03	++
34 x 34 x 1,50 2,00 2,50 3,00	1,53 2,00 2,46 2,77	- - - +	+- + - -	1,68 2,17 2,62 3,07	++ ++ + +



Quadratrohre DIN 2395, geschweißt

Abmessung	
mm	
35 x 35 x 1,50	
2,00	
2,50	
3,00	
38 x 38 x 2,00	
3,00	
40 x 40 x 1,50	
2,00	
2,50	
3,00	
4,00	
45 x 45 x 1,50	
2,00	
2,50	
3,00	
4,00	
50 x 50 x 1,50	
2,00	
2,50	
3,00	
4,00	
5,00	
55 x 55 x 2,00	
2,50	
3,00	
4,00	
60 x 60 x 1,50	
2,00	
2,50	
3,00	
4,00	
5,00	
65 x 65 x 2,00	
3,00	
4,00	
70 x 70 x 2,00	
2,50	
3,00	
4,00	
5,00	

Gewicht	schwarz	blank
<i>kg/mtr.</i>		
1,57	-	+
2,07	+	+
2,54	+	-
2,86	+	-
2,26	+	+
3,30	+	-
1,81	-	+
2,38	+	+
2,93	+	-
3,33	+	-
4,25	+	-
2,05	-	+
2,69	+	+
3,33	+	-
3,80	+	-
4,88	+	-
2,27	-	+
3,01	+	+
3,72	+	-
4,28	+	-
5,51	+	-
6,56	+	-
3,22	-	+
4,11	+	-
4,75	+	-
6,14	+	-
2,76	-	+
3,64	+	+
4,50	+	-
5,22	+	-
6,76	+	-
8,13	+	-
3,95	+	+
5,69	+	-
7,39	+	-
4,26	+	+
5,29	+	-
6,16	+	-
8,02	+	-
9,70	+	-

Gewicht	verzinkt
<i>kg/mtr.</i>	
1,74	+
2,24	+
2,70	+
3,16	+
2,44	+
3,47	+
1,99	+
2,58	+
3,12	+
3,66	+
4,70	+
2,26	+
2,92	+
3,54	+
4,16	+
5,36	+
2,51	+
3,25	+
3,95	+
4,65	+
6,01	+
7,28	+
3,60	+
4,37	+
5,15	+
6,67	+
3,04	+
3,93	+
4,78	+
5,64	+
7,31	+
8,90	+
4,28	+
6,13	+
7,97	+
4,61	+
5,62	+
6,63	+
8,62	+
10,52	+



Quadratrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
75 x 75 x 2,00	4,58	+	+	4,95	+
80 x 80 x 2,00	4,89	-	+	5,29	+
2,50	6,07	+	+	6,44	+
3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,30	+
90 x 90 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+
100 x 100 x 2,50	7,64	-	+	8,11	+
3,00	8,99	+	-	9,80	+
4,00	11,80	+	-	12,54	+
5,00	14,40	+	-	15,37	+

Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
20 x 10 x 1,00	0,44	-	+	0,51	+
1,50	0,63	-	+	0,70	+
2,00	0,81	+	+	0,89	+
20 x 15 x 1,50	0,75	-	+	0,83	+
2,00	0,97	+	+	1,05	+
25 x 15 x 1,50	0,87	-	+	0,96	+
2,00	1,12	+	+	1,22	+
25 x 20 x 1,50	0,99	-	+	1,09	+
2,00	1,28	+	+	1,39	+
30 x 10 x 1,00	0,60	-	+	0,69	+
1,50	0,87	-	+	0,96	+
2,00	1,12	+	+	1,22	+
30 x 15 x 1,00	0,67	-	+	0,78	+
1,50	0,99	+	+	1,09	+
2,00	1,28	+	+	1,39	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank
mm			
30 x 25 x 1,50	kg/mtr.		
2,00		-	+
2,50		+	+
3,00		+	-
34 x 15 x 2,00			
	1,41	+	+
34 x 20 x 1,50			
2,00		-	+
	1,20		+
	1,56	+	+
35 x 10 x 1,50			
2,00			
	0,99	+	+
	1,28	+	+
35 x 15 x 1,50			
2,00			
	1,10	+	+
	1,44	+	+
35 x 20 x 1,50			
2,00			
	1,22	+	+
	1,59	+	+
	1,96	+	+
35 x 25 x 1,50			
2,00			
	1,34	+	+
	1,75	+	+
	2,15	+	-
	2,39	+	-
40 x 10 x 1,50			
2,00			
	1,10	+	+
	1,44	+	+
40 x 15 x 1,50			
2,00			
	1,22	-	+
	1,59	+	+
40 x 20 x 1,00			
1,25			
1,50			
2,00			
2,50			
3,00			
	0,91	-	+
	1,13	-	+
	1,34	+	+
	1,75	+	+
	2,15	+	-
	2,39	+	-
40 x 25 x 1,50			
2,00			
	1,46	-	+
	1,91	+	+
	2,34	+	-
	2,63	+	-
40 x 30 x 1,50			
2,00			
	1,57	+	+
	2,07	+	+
	2,54	+	-
	2,86	+	-

Abmessung	Gewicht	schwarz	blank
mm			
30 x 25 x 1,50	kg/mtr.		
2,00		-	+
2,50		+	+
3,00		+	-
34 x 15 x 2,00			
	1,41	+	+
34 x 20 x 1,50			
2,00		-	+
	1,20		+
	1,56	+	+
35 x 10 x 1,50			
2,00			
	0,99	+	+
	1,28	+	+
35 x 15 x 1,50			
2,00			
	1,10	+	+
	1,44	+	+
35 x 20 x 1,50			
2,00			
	1,22	+	+
	1,59	+	+
	1,96	+	+
35 x 25 x 1,50			
2,00			
	1,34	+	+
	1,75	+	+
	2,15	+	-
	2,39	+	-
40 x 10 x 1,50			
2,00			
	1,10	+	+
	1,44	+	+
40 x 15 x 1,50			
2,00			
	1,22	-	+
	1,59	+	+
40 x 20 x 1,00			
1,25			
1,50			
2,00			
2,50			
3,00			
	0,91	-	+
	1,13	-	+
	1,34	+	+
	1,75	+	+
	2,15	+	-
	2,39	+	-
40 x 25 x 1,50			
2,00			
	1,46	-	+
	1,91	+	+
	2,34	+	-
	2,63	+	-
40 x 30 x 1,50			
2,00			
	1,57	+	+
	2,07	+	+
	2,54	+	-
	2,86	+	-

Abmessung	Gewicht	verzinkt
mm		
30 x 25 x 1,50	kg/mtr.	
2,00		+
2,50		+
3,00		+
34 x 15 x 2,00		
	1,52	+
34 x 20 x 1,50		
2,00		+
	1,32	+
	1,70	+
35 x 10 x 1,50		
2,00		+
	1,09	+
	1,39	+
35 x 15 x 1,50		
2,00		+
	1,22	+
	1,56	+
35 x 20 x 1,50		
2,00		+
	1,34	+
	1,73	+
	2,08	+
35 x 25 x 1,50		
2,00		+
	1,47	+
	1,90	+
	2,29	+
	2,67	+
40 x 10 x 1,50		
2,00		+
	1,22	+
	1,56	+
40 x 15 x 1,50		
2,00		+
	1,34	+
	1,73	+
40 x 20 x 1,00		
1,25		+
1,50		+
2,00		+
2,50		+
3,00		+
	1,05	+
	1,26	+
	1,47	+
	1,90	+
	2,29	+
	2,67	+
40 x 25 x 1,50		
2,00		+
	1,61	+
	2,07	+
	2,50	+
	2,92	+
40 x 30 x 1,50		
2,00		+
	1,74	+
	2,24	+
	2,70	+
	3,16	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
45 x 20 x 1,50	1,46	+	+	1,61	+
2,00	1,91	+	+	2,07	+
2,50	2,34	+	-	2,50	+
45 x 25 x 1,50	1,57	+	+	1,74	+
2,00	2,07	+	+	2,24	+
2,50	2,54	+	-	2,70	+
3,00	2,86	+	-	3,16	+
45 x 30 x 2,00	2,22	+	+	2,41	+
45 x 35 x 1,50	1,81	+	+	1,99	+
50 x 10 x 1,50	1,34	+	+	1,47	+
2,00	1,75	+	+	1,90	+
50 x 15 x 1,50	1,46	-	+	1,61	+
2,00	1,91	+	+	2,07	+
50 x 20 x 1,50	1,57	-	+	1,74	+
2,00	2,07	+	+	2,24	+
2,50	2,54	+	+	2,70	+
3,00	2,86	+	+	3,16	+
50 x 25 x 1,50	1,69	-	+	1,87	+
2,00	2,22	+	+	2,14	+
2,50	2,74	+	-	2,92	+
3,00	3,10	+	-	3,41	+
50 x 30 x 1,50	1,81	+	+	1,99	+
2,00	2,38	+	+	2,58	+
2,50	2,93	+	-	3,12	+
3,00	3,33	+	-	3,66	+
4,00	4,25	+	-	4,70	+
50 x 34 x 1,50	1,90	-	+	2,10	+
2,00	2,51	-	+	2,71	+
2,50	3,09	+	-	3,29	+
50 x 35 x 1,50	1,93	-	+	2,12	+
2,00	2,54	+	+	2,74	+
2,50	3,10	+	-	3,33	+
3,00	3,57	+	-	3,91	+
50 x 40 x 1,50	2,05	+	+	2,26	+
2,00	2,69	+	+	2,92	+
2,50	3,33	+	-	3,54	+
3,00	3,80	+	-	4,16	+
4,00	4,88	+	-	5,37	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
55 x 34 x 2,00	2,66	+	+	2,88	+
2,50	3,26	+	-	3,50	+
60 x 15 x 2,00	2,22	+	+	2,41	+
60 x 20 x 1,50	1,81	-	+	1,99	+
2,00	2,38	+	+	2,58	+
2,50	2,93	+	-	3,12	+
3,00	3,33	+	-	3,66	+
60 x 25 x 1,50	1,93	-	+	2,12	+
2,00	2,54	+	+	2,74	+
2,50	3,10	+	-	3,33	+
3,00	3,57	+	-	3,91	+
60 x 30 x 1,50	2,05	-	+	2,26	+
2,00	2,69	+	+	2,92	+
2,50	3,33	+	-	3,54	+
3,00	3,80	+	-	4,16	+
4,00	4,88	+	-	5,36	+
60 x 33 x 2,00	2,80	+	+	3,02	+
3,00	4,14	+	-	4,30	+
60 x 35 x 2,00	2,83	+	+	3,09	+
3,00	4,19	+	-	4,40	+
60 x 40 x 1,50	2,27	-	+	2,51	+
2,00	3,01	+	+	3,25	+
2,50	3,72	+	-	3,95	+
3,00	4,28	+	-	4,65	+
4,00	5,51	+	-	6,01	+
5,00	6,56	+	-	7,28	+
60 x 45 x 2,00	3,14	+	+	3,42	+
60 x 50 x 2,00	3,32	+	+	3,60	+
2,50	4,11	+	-	4,37	+
3,00	4,75	+	-	5,15	+
4,00	6,14	+	-	6,67	+
70 x 20 x 2,00	2,69	+	+	2,92	+
70 x 30 x 2,00	3,01	+	+	3,25	+
3,00	4,28	+	-	4,65	+
4,00	5,51	+	-	6,01	+
70 x 35 x 2,00	3,14	+	+	3,42	+
3,00	4,48	+	-	4,89	+




Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
70 x 40 x 2,00	3,32	+	+	3,60	+
2,50	4,11	+	-	4,37	+
3,00	4,75	+	-	5,15	+
4,00	6,14	+	-	6,67	+
70 x 50 x 2,00	3,64	+	+	3,93	+
2,50	4,50	+	-	4,78	+
3,00	5,22	+	-	5,64	+
4,00	6,76	+	-	7,31	+
5,00	8,13	+	-	8,90	+
80 x 20 x 2,00	3,01	+	+	3,25	+
3,00	4,28	+	-	4,88	+
80 x 30 x 2,00	3,32	+	+	3,60	+
2,50	4,11	+	-	4,37	+
3,00	4,75	+	-	5,15	+
4,00	6,14	+	-	6,67	+
80 x 34 x 2,00	3,45	-	+	3,73	+
80 x 40 x 2,00	3,65	+	+	3,93	+
2,50	4,90	+	-	4,78	+
3,00	5,22	+	-	5,64	+
4,00	6,76	+	-	7,31	+
5,00	8,13	+	-	8,90	+
80 x 50 x 2,00	3,95	+	+	4,18	+
2,50	4,90	+	-	5,20	+
3,00	5,69	+	-	6,13	+
4,00	7,39	+	-	7,97	+
5,00	8,91	+	-	9,70	+
80 x 60 x 2,00	4,26	+	+	4,61	+
2,50	5,29	+	-	5,62	+
3,00	6,16	+	-	6,63	+
4,00	8,02	+	-	8,62	+
5,00	9,70	+	-	10,52	+
90 x 20 x 2,00	3,32	+	+	3,60	+
90 x 30 x 2,00	3,64	+	+	3,93	+
90 x 40 x 3,00	5,69	+	-	6,13	+
4,00	7,39	+	-	7,97	+
90 x 45 x 2,50	4,98	+	-	5,41	+
3,00	5,90	+	-	6,38	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
90 x 50 x 2,00	4,26	+	-	4,61	+
3,00	6,16	+	-	6,63	+
4,00	8,02	+	-	8,62	+
5,00	9,70	+	-	10,52	+
90 x 70 x 3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,13	+
100 x 20 x 2,00	3,64	+	-	3,93	+
3,00	5,22	+	-	5,64	+
100 x 30 x 2,00	3,95	+	-	4,35	+
3,00	5,69	+	-	6,13	+
4,00	7,39	+	-	7,97	+
100 x 40 x 2,00	4,26	+	-	4,61	+
2,50	5,29	+	-	5,62	+
3,00	6,16	+	-	6,63	+
4,00	8,02	+	-	8,62	+
5,00	9,70	+	-	10,52	+
100 x 50 x 2,00	4,58	+	-	4,95	+
2,50	5,68	+	-	6,03	+
3,00	6,63	+	-	7,12	+
4,00	8,65	+	-	9,28	+
5,00	10,50	+	-	11,32	+
100 x 60 x 2,50	6,07	+	-	6,44	+
3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,13	+
100 x 80 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+
110 x 70 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+
120 x 40 x 2,50	6,07	+	-	6,44	+
3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,13	+
120 x 60 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
120 x 80 x 3,00	8,99	+	-	9,60	+
4,00	11,80	+	-	12,54	+
5,00	14,40	+	-	15,37	+


Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
40 x 40 x 2,60	2,92	70 x 70 x 3,20	6,64
2,90	3,32	3,60	7,42
3,20	3,63	4,00	8,18
3,60	4,03	4,50	9,12
4,00	4,41	5,00	10,00
4,50	4,88	5,60	11,10
5,00	5,33	6,00	11,10
5,60	5,84	6,30	12,30
6,30	6,40	7,10	13,70
7,10	7,00	8,00	15,10
50 x 50 x 2,60	3,71	80 x 80 x 3,00	7,22
2,90	4,23	3,60	8,55
3,20	4,63	4,00	9,44
3,60	5,15	4,50	10,50
4,00	5,67	5,00	11,60
4,50	6,29	5,60	12,90
5,00	6,90	6,00	13,00
5,60	7,60	6,30	14,30
6,30	8,38	7,10	15,90
7,10	9,22	8,00	17,70
8,00	10,10	8,80	19,20
		10,00	21,30
60 x 60 x 2,90	5,14	90 x 90 x 3,60	9,68
3,20	5,64	4,00	10,70
3,60	6,29	4,50	11,90
4,00	6,93	5,00	13,20
4,50	7,71	5,60	14,60
5,00	8,47	6,00	14,90
5,60	9,35	6,30	16,30
6,00	9,40	7,10	18,10
6,30	10,40	8,00	20,20
7,10	11,50	8,80	21,90
8,00	12,60	10,00	24,40



Stahlbauhohlprofile EN 10219 / 10210


Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
100 x 100 x 3,60	10,80	140 x 140 x 4,00	16,80
4,00	12,00	5,00	21,10
4,50	13,40	5,60	23,30
5,00	14,70	6,00	24,30
5,60	16,40	6,30	26,00
6,00	16,70	7,10	29,00
6,30	18,30	8,00	32,40
7,10	20,40	8,80	35,50
8,00	22,70	10,00	39,60
8,80	24,70	12,50	48,10
10,00	27,60	14,20	53,60
12,50	33,30	16,00	59,20
110 x 110 x 4,00	13,10	150 x 150 x 3,00	13,70
4,50	14,70	4,00	18,00
5,00	16,20	5,00	22,70
5,60	18,00	5,60	24,80
6,00	18,60	6,00	26,20
6,30	20,00	6,30	27,60
7,10	22,30	8,00	34,40
8,00	24,80	8,80	37,50
8,80	27,00	10,00	41,90
10,00	30,20	12,00	48,51
120 x 120 x 3,00	10,80	12,50	50,80
4,00	14,40	14,20	56,50
4,50	16,10	160 x 160 x 4,00	19,30
5,00	17,80	5,00	23,70
5,60	19,70	5,60	26,50
6,00	20,50	6,00	28,00
6,30	22,00	6,30	29,60
7,10	24,60	7,10	33,10
8,00	27,40	8,00	36,90
8,80	29,80	8,80	40,20
10,00	33,30	10,00	45,10
12,50	40,30	12,50	54,70
125 x 125 x 4,00	14,90	14,20	60,90
5,00	18,20	16,00	67,20
6,00	21,40	180 x 180 x 5,00	26,80
10,00	32,70	5,60	30,85
		6,00	31,80
		6,30	33,60
		7,10	37,50
		8,00	41,90
		8,80	45,70
		10,00	51,40
		12,00	59,81
		12,50	62,60
		16,00	81,40



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht
mm	kg/mtr.
200 x 200 x 5,00	29,90
6,00	35,70
6,30	37,50
7,10	42,00
8,00	46,90
8,80	51,30
10,00	57,60
12,00	67,35
12,50	70,40
14,20	78,80
16,00	91,50
220 x 220 x 6,30	41,50
7,10	46,40
8,00	52,00
8,80	56,80
10,00	63,90
12,50	78,30
14,20	87,70
16,00	97,30
250 x 250 x 6,00	44,99
6,30	47,40
7,10	53,10
8,00	59,50
8,80	65,10
10,00	73,30
12,00	86,18
12,50	90,10
14,00	98,99
14,20	101,00
16,00	127,00
260 x 260 x 6,30	49,40
7,10	55,40
8,00	62,00
8,80	67,80
10,00	76,50
11,00	83,60
12,50	94,00
14,20	106,00
16,00	117,00
17,50	127,00

Abmessung	Gewicht
mm	kg/mtr.
300 x 300 x 6,00	55,25
8,00	73,10
10,00	90,70
12,00	105,02
12,50	112,00
14,00	120,97
16,00	142,00
350 x 350 x 8,00	85,70
10,00	100,00
12,00	123,87
12,50	132,00
14,00	142,95
16,00	167,00
400 x 400 x 8,00	96,75
10,00	122,00
12,50	152,00
16,00	192,00
20,00	237,00



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
50 x 30 x 2,60	2,92	90 x 50 x 3,20	6,64
2,90	3,32	4,00	8,18
3,60	4,03	4,50	9,12
4,00	4,41	5,00	10,00
5,00	5,33	6,30	12,30
6,00	6,40	7,10	13,70
		8,00	15,10
		8,80	16,40
		10,00	18,20
60 x 40 x 2,60	3,71	100 x 50 x 3,00	6,75
2,90	4,23	3,20	7,15
3,20	4,63	3,60	7,98
3,60	5,16	4,00	8,81
4,00	5,67	4,50	9,83
5,00	6,90	5,00	10,80
6,30	8,38	5,60	12,00
		6,30	13,30
		7,10	14,80
		8,00	16,40
		8,80	17,80
		10,00	19,70
70 x 40 x 2,90	4,69	100 x 60 x 3,00	7,22
3,20	5,14	3,60	8,55
3,60	5,72	4,00	9,44
4,00	6,30	4,50	10,50
5,00	7,68	5,00	11,60
6,30	9,37	5,60	12,90
		6,00	13,00
		6,30	14,30
		7,10	15,90
		8,00	17,70
		8,80	19,20
		10,00	21,30
80 x 40 x 2,90	5,14	100 x 80 x 5,60	14,00
3,20	5,64	6,00	14,90
3,60	6,29	6,30	15,50
4,00	6,93	8,00	18,90
5,00	8,47		
5,60	9,35		
6,30	10,40		
7,10	11,50		
8,00	12,60		
80 x 60 x 6,00	11,10		
8,00	13,80		



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
110 x 60 x 3,20	8,10	140 x 40 x 3,00	8,01
3,60	9,04	4,00	10,48
4,00	9,98	5,00	12,67
4,50	11,10		
5,00	12,30		
5,60	13,60		
6,30	15,10		
7,10	16,80		
8,00	18,60		
8,80	20,10		
120 x 50 x 4,00	9,85	140 x 60 x 3,00	8,96
5,00	11,89	4,00	11,73
		5,00	14,24
		6,00	16,74
		8,00	21,39
120 x 60 x 3,60	9,61	140 x 70 x 3,00	9,43
4,00	10,60	4,00	12,50
4,50	11,80	4,50	14,00
5,00	13,00	5,00	15,40
5,60	14,50	5,60	17,10
6,00	14,90	6,00	17,70
6,30	16,10	6,30	19,00
7,10	17,90	7,10	21,20
8,00	19,80	8,00	23,60
8,80	21,50	8,80	25,60
10,00	23,90	10,00	28,60
120 x 80 x 3,60	10,70	140 x 80 x 3,00	9,90
4,00	11,90	3,60	11,90
4,50	13,20	4,00	13,10
5,00	14,60	5,00	16,20
5,60	16,20	5,60	18,00
6,00	16,70	6,00	18,60
6,30	18,10	6,30	20,00
8,00	22,30	7,10	22,30
8,80	24,30	8,00	24,80
10,00	27,00	8,80	27,00
		10,00	30,20
120 x 100 x 4,00	13,00	150 x 40 x 4,00	11,11
5,00	15,80		
6,00	18,60		
7,10	21,60		



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
150 x 50 x 4,00 5,00	11,73 14,24	160 x 90 x 4,00 4,50 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00 12,50	14,90 16,60 18,30 20,40 21,40 22,70 25,30 28,10 30,50 34,10 41,00
150 x 75 x 5,00 6,00	16,88 19,09	180 x 80 x 4,00 5,00 5,60 6,00 6,30 7,10 8,00	15,40 18,90 21,00 22,40 23,40 26,00 28,90
150 x 100 x 3,00 4,00 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00 12,50	11,30 14,90 18,30 20,40 21,40 22,70 25,30 28,10 30,50 41,00	180 x 100 x 4,00 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00 12,50 14,20 16,00	16,80 20,70 23,00 24,30 25,60 28,60 31,90 34,70 38,80 46,90 52,00 57,10
160 x 80 x 4,00 4,50 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00	14,20 15,90 17,50 19,50 20,50 21,70 24,20 26,80 29,20 32,50	180 x 120 x 4,00 5,00 6,00 6,30 8,00 10,00	17,80 22,10 26,20 27,40 33,90 40,60




Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
200 x 40 x 3,00 4,00	10,80 14,20	220 x 120 x 6,00 6,30 8,00 8,80 10,00 11,00 12,50 14,20 16,00	29,93 31,60 39,40 43,00 48,20 52,50 58,70 65,40 72,20
200 x 80 x 4,00 5,00 5,60 6,00 6,30 8,00	16,80 20,50 22,80 24,30 25,40 31,40	250 x 100 x 5,00 5,60 6,00 6,30 8,00 10,00	26,00 28,90 30,90 32,30 40,20 48,40
200 x 100 x 4,00 5,00 5,60 6,30 7,10 8,00 8,80 10,00 12,00 12,50 14,20 16,00	18,00 22,70 24,80 26,20 27,60 30,80 34,40 37,50 41,90 48,51 50,80 56,50	250 x 150 x 6,00 6,30 8,00 10,00 12,00 12,50 16,00	35,58 37,50 46,90 57,60 67,35 70,40 87,30
200 x 120 x 4,00 5,00 6,00 6,30 8,00 10,00 12,00 12,50 14,20 16,00	19,30 23,70 28,00 29,60 36,90 45,10 52,30 54,70 60,90 67,20	260 x 140 x 6,00 6,30 7,10 8,00 8,80 10,00 12,00 12,50 14,20 16,00	35,68 37,50 42,00 46,90 51,30 57,60 67,35 70,40 78,80 87,30
200 x 150 x 4,00 6,00 8,00 10,00 12,00	21,20 30,90 40,20 48,50 57,93	260 x 180 x 6,00 6,30 7,10 8,00 10,00 12,50 14,20 16,00	39,30 41,50 46,40 52,00 63,00 78,30 87,70 97,30



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
300 x 100 x 5,00	30,00	400 x 200 x 6,00	55,25
6,00	35,82	8,00	85,70
6,30	37,79	10,00	90,70
8,00	46,94	12,00	105,02
10,00	57,45	12,50	112,00
12,00	67,35	14,00	120,97
		16,00	142,00
300 x 150 x 6,00	40,40	400 x 300 x 8,00	84,36
8,00	53,00	10,00	104,33
10,00	65,10	12,00	123,87
12,00	76,80	12,50	128,26
		14,00	142,95
300 x 200 x 5,00	37,80	450 x 150 x 8,00	71,63
6,00	45,00	10,00	88,36
6,30	47,10	12,50	108,63
8,00	59,50		
10,00	73,30		
12,00	86,18		
12,50	90,10		
14,00	98,99		
16,00	117,00		
350 x 100 x 10,00	64,82	450 x 250 x 6,00	63,94
		8,00	84,36
		10,00	106,00
		12,00	123,87
		12,50	132,00
		14,00	142,95
		16,00	167,00
350 x 250 x 8,00	71,80	500 x 200 x 8,00	84,19
12,00	105,02	10,00	104,06
12,50	108,63	12,00	127,36
400 x 100 x 8,00	59,24	500 x 300 x 8,00	96,75
10,00	72,93	10,00	122,00
12,50	89,01	12,50	152,00
		16,00	192,00
		20,00	237,00



Quadratrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
10 x 10 x 1,00 1,25 1,50	0,28 0,34 0,40	- - -	+- + +	0,32 0,38 0,44	++ ++ +
12 x 12 x 1,00 1,50	0,35 0,49	- -	+- +	0,40 0,53	++
15 x 15 x 1,00 1,50 2,00	0,44 0,63 0,81	- - +	+- + -	0,51 0,70 0,89	++ ++ +
16 x 16 x 1,00 1,50 2,00	0,47 0,67 0,85	- - -	+- + +	0,54 0,74 0,95	++ ++ +
18 x 18 x 1,50 2,00	0,77 1,00	- -	+- +	0,85 1,08	++
20 x 20 x 1,00 1,25 1,50 2,00 2,50 3,00	0,60 0,73 0,87 1,12 1,33 1,60	- - - +	+- + + +- - -	0,69 0,82 0,96 1,22 1,45 1,68	++ ++ + ++ + +
22 x 22 x 1,50	0,95	-	+	1,07	+
25 x 25 x 1,00 1,25 1,50 2,00 2,50 3,00	0,75 0,93 1,10 1,44 1,76 1,92	- - - +	+- + + +- - -	0,86 1,04 1,22 1,56 1,88 2,17	++ ++ + ++ + +
30 x 30 x 1,00 1,25 1,50 2,00 2,50 3,00 4,00	0,91 1,13 1,34 1,75 2,15 2,39 3,32	- - - +	+- + + +- - - -	1,05 1,26 1,47 1,90 2,29 2,67 3,40	++ ++ + ++ + + +
32 x 32 x 1,50 2,00	1,44 1,88	- -	+- +	1,58 2,03	++
34 x 34 x 1,50 2,00 2,50 3,00	1,53 2,00 2,46 2,77	- - - +	+- + - -	1,68 2,17 2,62 3,07	++ ++ + +




Quadratrohre DIN 2395, geschweißt

Abmessung	
mm	
35 x 35 x 1,50	
2,00	
2,50	
3,00	
38 x 38 x 2,00	
3,00	
40 x 40 x 1,50	
2,00	
2,50	
3,00	
4,00	
45 x 45 x 1,50	
2,00	
2,50	
3,00	
4,00	
50 x 50 x 1,50	
2,00	
2,50	
3,00	
4,00	
5,00	
55 x 55 x 2,00	
2,50	
3,00	
4,00	
60 x 60 x 1,50	
2,00	
2,50	
3,00	
4,00	
5,00	
65 x 65 x 2,00	
3,00	
4,00	
70 x 70 x 2,00	
2,50	
3,00	
4,00	
5,00	

Gewicht	schwarz	blank
<i>kg/mtr.</i>		
1,57	-	+
2,07	+	+
2,54	+	-
2,86	+	-
2,26	+	+
3,30	+	-
1,81	-	+
2,38	+	+
2,93	+	-
3,33	+	-
4,25	+	-
2,05	-	+
2,69	+	+
3,33	+	-
3,80	+	-
4,88	+	-
2,27	-	+
3,01	+	+
3,72	+	-
4,28	+	-
5,51	+	-
6,56	+	-
3,22	-	+
4,11	+	-
4,75	+	-
6,14	+	-
2,76	-	+
3,64	+	+
4,50	+	-
5,22	+	-
6,76	+	-
8,13	+	-
3,95	+	+
5,69	+	-
7,39	+	-
4,26	+	+
5,29	+	-
6,16	+	-
8,02	+	-
9,70	+	-

Gewicht	verzinkt
<i>kg/mtr.</i>	
1,74	+
2,24	+
2,70	+
3,16	+
2,44	+
3,47	+
1,99	+
2,58	+
3,12	+
3,66	+
4,70	+
2,26	+
2,92	+
3,54	+
4,16	+
5,36	+
2,51	+
3,25	+
3,95	+
4,65	+
6,01	+
7,28	+
3,60	+
4,37	+
5,15	+
6,67	+
3,04	+
3,93	+
4,78	+
5,64	+
7,31	+
8,90	+
4,28	+
6,13	+
7,97	+
4,61	+
5,62	+
6,63	+
8,62	+
10,52	+



Quadratrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
75 x 75 x 2,00	4,58	+	+	4,95	+
80 x 80 x 2,00	4,89	-	+	5,29	+
2,50	6,07	+	+	6,44	+
3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,30	+
90 x 90 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+
100 x 100 x 2,50	7,64	-	+	8,11	+
3,00	8,99	+	-	9,80	+
4,00	11,80	+	-	12,54	+
5,00	14,40	+	-	15,37	+

Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
20 x 10 x 1,00	0,44	-	+	0,51	+
1,50	0,63	-	+	0,70	+
2,00	0,81	+	+	0,89	+
20 x 15 x 1,50	0,75	-	+	0,83	+
2,00	0,97	+	+	1,05	+
25 x 15 x 1,50	0,87	-	+	0,96	+
2,00	1,12	+	+	1,22	+
25 x 20 x 1,50	0,99	-	+	1,09	+
2,00	1,28	+	+	1,39	+
30 x 10 x 1,00	0,60	-	+	0,69	+
1,50	0,87	-	+	0,96	+
2,00	1,12	+	+	1,22	+
30 x 15 x 1,00	0,67	-	+	0,78	+
1,50	0,99	+	+	1,09	+
2,00	1,28	+	+	1,39	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank
mm			
30 x 25 x 1,50	kg/mtr.		
2,00		-	+
2,50		+	+
3,00		+	-
34 x 15 x 2,00			
	1,41	+	+
34 x 20 x 1,50			
2,00		-	+
	1,20		+
	1,56	+	+
35 x 10 x 1,50			
2,00			
	0,99	+	+
	1,28	+	+
35 x 15 x 1,50			
2,00			
	1,10	+	+
	1,44	+	+
35 x 20 x 1,50			
2,00			
	1,22	+	+
	1,59	+	+
	1,96	+	+
35 x 25 x 1,50			
2,00			
	1,34	+	+
	1,75	+	+
	2,15	+	-
	2,39	+	-
40 x 10 x 1,50			
2,00			
	1,10	+	+
	1,44	+	+
40 x 15 x 1,50			
2,00			
	1,22	-	+
	1,59	+	+
40 x 20 x 1,00			
1,25			
1,50			
2,00			
2,50			
3,00			
	0,91	-	+
	1,13	-	+
	1,34	+	+
	1,75	+	+
	2,15	+	-
	2,39	+	-
40 x 25 x 1,50			
2,00			
	1,46	-	+
	1,91	+	+
	2,34	+	-
	2,63	+	-
40 x 30 x 1,50			
2,00			
	1,57	+	+
	2,07	+	+
	2,54	+	-
	2,86	+	-

Abmessung	Gewicht	schwarz	blank
mm			
30 x 25 x 1,50	kg/mtr.		
2,00		-	+
2,50		+	+
3,00		+	-
34 x 15 x 2,00			
	1,41	+	+
34 x 20 x 1,50			
2,00		-	+
	1,20		+
	1,56	+	+
35 x 10 x 1,50			
2,00			
	0,99	+	+
	1,28	+	+
35 x 15 x 1,50			
2,00			
	1,10	+	+
	1,44	+	+
35 x 20 x 1,50			
2,00			
	1,22	+	+
	1,59	+	+
	1,96	+	+
35 x 25 x 1,50			
2,00			
	1,34	+	+
	1,75	+	+
	2,15	+	-
	2,39	+	-
40 x 10 x 1,50			
2,00			
	1,10	+	+
	1,44	+	+
40 x 15 x 1,50			
2,00			
	1,22	-	+
	1,59	+	+
40 x 20 x 1,00			
1,25			
1,50			
2,00			
2,50			
3,00			
	0,91	-	+
	1,13	-	+
	1,34	+	+
	1,75	+	+
	2,15	+	-
	2,39	+	-
40 x 25 x 1,50			
2,00			
	1,46	-	+
	1,91	+	+
	2,34	+	-
	2,63	+	-
40 x 30 x 1,50			
2,00			
	1,57	+	+
	2,07	+	+
	2,54	+	-
	2,86	+	-

Abmessung	Gewicht	verzinkt
mm		
30 x 25 x 1,50	kg/mtr.	
2,00		+
2,50		+
3,00		+
34 x 15 x 2,00		
	1,52	+
34 x 20 x 1,50		
2,00		+
	1,32	+
	1,70	+
35 x 10 x 1,50		
2,00		+
	1,09	+
	1,39	+
35 x 15 x 1,50		
2,00		+
	1,22	+
	1,56	+
35 x 20 x 1,50		
2,00		+
	1,34	+
	1,73	+
	2,08	+
35 x 25 x 1,50		
2,00		+
	1,47	+
	1,90	+
	2,29	+
	2,67	+
40 x 10 x 1,50		
2,00		+
	1,22	+
	1,56	+
40 x 15 x 1,50		
2,00		+
	1,34	+
	1,73	+
40 x 20 x 1,00		
1,25		+
1,50		+
2,00		+
2,50		+
3,00		+
	1,05	+
	1,26	+
	1,47	+
	1,90	+
	2,29	+
	2,67	+
40 x 25 x 1,50		
2,00		+
	1,61	+
	2,07	+
	2,50	+
	2,92	+
40 x 30 x 1,50		
2,00		+
	1,74	+
	2,24	+
	2,70	+
	3,16	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
45 x 20 x 1,50	1,46	+	+	1,61	+
2,00	1,91	+	+	2,07	+
2,50	2,34	+	-	2,50	+
45 x 25 x 1,50	1,57	+	+	1,74	+
2,00	2,07	+	+	2,24	+
2,50	2,54	+	-	2,70	+
3,00	2,86	+	-	3,16	+
45 x 30 x 2,00	2,22	+	+	2,41	+
45 x 35 x 1,50	1,81	+	+	1,99	+
50 x 10 x 1,50	1,34	+	+	1,47	+
2,00	1,75	+	+	1,90	+
50 x 15 x 1,50	1,46	-	+	1,61	+
2,00	1,91	+	+	2,07	+
50 x 20 x 1,50	1,57	-	+	1,74	+
2,00	2,07	+	+	2,24	+
2,50	2,54	+	+	2,70	+
3,00	2,86	+	+	3,16	+
50 x 25 x 1,50	1,69	-	+	1,87	+
2,00	2,22	+	+	2,14	+
2,50	2,74	+	-	2,92	+
3,00	3,10	+	-	3,41	+
50 x 30 x 1,50	1,81	+	+	1,99	+
2,00	2,38	+	+	2,58	+
2,50	2,93	+	-	3,12	+
3,00	3,33	+	-	3,66	+
4,00	4,25	+	-	4,70	+
50 x 34 x 1,50	1,90	-	+	2,10	+
2,00	2,51	-	+	2,71	+
2,50	3,09	+	-	3,29	+
50 x 35 x 1,50	1,93	-	+	2,12	+
2,00	2,54	+	+	2,74	+
2,50	3,10	+	-	3,33	+
3,00	3,57	+	-	3,91	+
50 x 40 x 1,50	2,05	+	+	2,26	+
2,00	2,69	+	+	2,92	+
2,50	3,33	+	-	3,54	+
3,00	3,80	+	-	4,16	+
4,00	4,88	+	-	5,37	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
55 x 34 x 2,00	2,66	+	+	2,88	+
2,50	3,26	+	-	3,50	+
60 x 15 x 2,00	2,22	+	+	2,41	+
60 x 20 x 1,50	1,81	-	+	1,99	+
2,00	2,38	+	+	2,58	+
2,50	2,93	+	-	3,12	+
3,00	3,33	+	-	3,66	+
60 x 25 x 1,50	1,93	-	+	2,12	+
2,00	2,54	+	+	2,74	+
2,50	3,10	+	-	3,33	+
3,00	3,57	+	-	3,91	+
60 x 30 x 1,50	2,05	-	+	2,26	+
2,00	2,69	+	+	2,92	+
2,50	3,33	+	-	3,54	+
3,00	3,80	+	-	4,16	+
4,00	4,88	+	-	5,36	+
60 x 33 x 2,00	2,80	+	+	3,02	+
3,00	4,14	+	-	4,30	+
60 x 35 x 2,00	2,83	+	+	3,09	+
3,00	4,19	+	-	4,40	+
60 x 40 x 1,50	2,27	-	+	2,51	+
2,00	3,01	+	+	3,25	+
2,50	3,72	+	-	3,95	+
3,00	4,28	+	-	4,65	+
4,00	5,51	+	-	6,01	+
5,00	6,56	+	-	7,28	+
60 x 45 x 2,00	3,14	+	+	3,42	+
60 x 50 x 2,00	3,32	+	+	3,60	+
2,50	4,11	+	-	4,37	+
3,00	4,75	+	-	5,15	+
4,00	6,14	+	-	6,67	+
70 x 20 x 2,00	2,69	+	+	2,92	+
70 x 30 x 2,00	3,01	+	+	3,25	+
3,00	4,28	+	-	4,65	+
4,00	5,51	+	-	6,01	+
70 x 35 x 2,00	3,14	+	+	3,42	+
3,00	4,48	+	-	4,89	+




Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
70 x 40 x 2,00	3,32	+	+	3,60	+
2,50	4,11	+	-	4,37	+
3,00	4,75	+	-	5,15	+
4,00	6,14	+	-	6,67	+
70 x 50 x 2,00	3,64	+	+	3,93	+
2,50	4,50	+	-	4,78	+
3,00	5,22	+	-	5,64	+
4,00	6,76	+	-	7,31	+
5,00	8,13	+	-	8,90	+
80 x 20 x 2,00	3,01	+	+	3,25	+
3,00	4,28	+	-	4,88	+
80 x 30 x 2,00	3,32	+	+	3,60	+
2,50	4,11	+	-	4,37	+
3,00	4,75	+	-	5,15	+
4,00	6,14	+	-	6,67	+
80 x 34 x 2,00	3,45	-	+	3,73	+
80 x 40 x 2,00	3,65	+	+	3,93	+
2,50	4,90	+	-	4,78	+
3,00	5,22	+	-	5,64	+
4,00	6,76	+	-	7,31	+
5,00	8,13	+	-	8,90	+
80 x 50 x 2,00	3,95	+	+	4,18	+
2,50	4,90	+	-	5,20	+
3,00	5,69	+	-	6,13	+
4,00	7,39	+	-	7,97	+
5,00	8,91	+	-	9,70	+
80 x 60 x 2,00	4,26	+	+	4,61	+
2,50	5,29	+	-	5,62	+
3,00	6,16	+	-	6,63	+
4,00	8,02	+	-	8,62	+
5,00	9,70	+	-	10,52	+
90 x 20 x 2,00	3,32	+	+	3,60	+
90 x 30 x 2,00	3,64	+	+	3,93	+
90 x 40 x 3,00	5,69	+	-	6,13	+
4,00	7,39	+	-	7,97	+
90 x 45 x 2,50	4,98	+	-	5,41	+
3,00	5,90	+	-	6,38	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
90 x 50 x 2,00	4,26	+	-	4,61	+
3,00	6,16	+	-	6,63	+
4,00	8,02	+	-	8,62	+
5,00	9,70	+	-	10,52	+
90 x 70 x 3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,13	+
100 x 20 x 2,00	3,64	+	-	3,93	+
3,00	5,22	+	-	5,64	+
100 x 30 x 2,00	3,95	+	-	4,35	+
3,00	5,69	+	-	6,13	+
4,00	7,39	+	-	7,97	+
100 x 40 x 2,00	4,26	+	-	4,61	+
2,50	5,29	+	-	5,62	+
3,00	6,16	+	-	6,63	+
4,00	8,02	+	-	8,62	+
5,00	9,70	+	-	10,52	+
100 x 50 x 2,00	4,58	+	-	4,95	+
2,50	5,68	+	-	6,03	+
3,00	6,63	+	-	7,12	+
4,00	8,65	+	-	9,28	+
5,00	10,50	+	-	11,32	+
100 x 60 x 2,50	6,07	+	-	6,44	+
3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,13	+
100 x 80 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+
110 x 70 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+
120 x 40 x 2,50	6,07	+	-	6,44	+
3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,13	+
120 x 60 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
120 x 80 x 3,00	8,99	+	-	9,60	+
4,00	11,80	+	-	12,54	+
5,00	14,40	+	-	15,37	+

Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
40 x 40 x 2,60	2,92	70 x 70 x 3,20	6,64
2,90	3,32	3,60	7,42
3,20	3,63	4,00	8,18
3,60	4,03	4,50	9,12
4,00	4,41	5,00	10,00
4,50	4,88	5,60	11,10
5,00	5,33	6,00	11,10
5,60	5,84	6,30	12,30
6,30	6,40	7,10	13,70
7,10	7,00	8,00	15,10
50 x 50 x 2,60	3,71	80 x 80 x 3,00	7,22
2,90	4,23	3,60	8,55
3,20	4,63	4,00	9,44
3,60	5,15	4,50	10,50
4,00	5,67	5,00	11,60
4,50	6,29	5,60	12,90
5,00	6,90	6,00	13,00
5,60	7,60	6,30	14,30
6,30	8,38	7,10	15,90
7,10	9,22	8,00	17,70
8,00	10,10	8,80	19,20
		10,00	21,30
60 x 60 x 2,90	5,14	90 x 90 x 3,60	9,68
3,20	5,64	4,00	10,70
3,60	6,29	4,50	11,90
4,00	6,93	5,00	13,20
4,50	7,71	5,60	14,60
5,00	8,47	6,00	14,90
5,60	9,35	6,30	16,30
6,00	9,40	7,10	18,10
6,30	10,40	8,00	20,20
7,10	11,50	8,80	21,90
8,00	12,60	10,00	24,40




Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
100 x 100 x 3,60	10,80	140 x 140 x 4,00	16,80
4,00	12,00	5,00	21,10
4,50	13,40	5,60	23,30
5,00	14,70	6,00	24,30
5,60	16,40	6,30	26,00
6,00	16,70	7,10	29,00
6,30	18,30	8,00	32,40
7,10	20,40	8,80	35,50
8,00	22,70	10,00	39,60
8,80	24,70	12,50	48,10
10,00	27,60	14,20	53,60
12,50	33,30	16,00	59,20
110 x 110 x 4,00	13,10	150 x 150 x 3,00	13,70
4,50	14,70	4,00	18,00
5,00	16,20	5,00	22,70
5,60	18,00	5,60	24,80
6,00	18,60	6,00	26,20
6,30	20,00	6,30	27,60
7,10	22,30	8,00	34,40
8,00	24,80	8,80	37,50
8,80	27,00	10,00	41,90
10,00	30,20	12,00	48,51
120 x 120 x 3,00	10,80	12,50	50,80
4,00	14,40	14,20	56,50
4,50	16,10	160 x 160 x 4,00	19,30
5,00	17,80	5,00	23,70
5,60	19,70	5,60	26,50
6,00	20,50	6,00	28,00
6,30	22,00	6,30	29,60
7,10	24,60	7,10	33,10
8,00	27,40	8,00	36,90
8,80	29,80	8,80	40,20
10,00	33,30	10,00	45,10
12,50	40,30	12,50	54,70
125 x 125 x 4,00	14,90	14,20	60,90
5,00	18,20	16,00	67,20
6,00	21,40	180 x 180 x 5,00	26,80
10,00	32,70	5,60	30,85
		6,00	31,80
		6,30	33,60
		7,10	37,50
		8,00	41,90
		8,80	45,70
		10,00	51,40
		12,00	59,81
		12,50	62,60
		16,00	81,40



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
200 x 200 x 5,00	29,90	300 x 300 x 6,00	55,25
6,00	35,70	8,00	73,10
6,30	37,50	10,00	90,70
7,10	42,00	12,00	105,02
8,00	46,90	12,50	112,00
8,80	51,30	14,00	120,97
10,00	57,60	16,00	142,00
12,00	67,35		
12,50	70,40		
14,20	78,80		
16,00	91,50		
220 x 220 x 6,30	41,50	350 x 350 x 8,00	85,70
7,10	46,40	10,00	100,00
8,00	52,00	12,00	123,87
8,80	56,80	12,50	132,00
10,00	63,90	14,00	142,95
12,50	78,30	16,00	167,00
14,20	87,70		
16,00	97,30		
250 x 250 x 6,00	44,99	400 x 400 x 8,00	96,75
6,30	47,40	10,00	122,00
7,10	53,10	12,50	152,00
8,00	59,50	16,00	192,00
8,80	65,10	20,00	237,00
10,00	73,30		
12,00	86,18		
12,50	90,10		
14,00	98,99		
14,20	101,00		
16,00	127,00		
260 x 260 x 6,30	49,40		
7,10	55,40		
8,00	62,00		
8,80	67,80		
10,00	76,50		
11,00	83,60		
12,50	94,00		
14,20	106,00		
16,00	117,00		
17,50	127,00		



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
50 x 30 x 2,60	2,92	90 x 50 x 3,20	6,64
2,90	3,32	4,00	8,18
3,60	4,03	4,50	9,12
4,00	4,41	5,00	10,00
5,00	5,33	6,30	12,30
6,00	6,40	7,10	13,70
		8,00	15,10
		8,80	16,40
		10,00	18,20
60 x 40 x 2,60	3,71	100 x 50 x 3,00	6,75
2,90	4,23	3,20	7,15
3,20	4,63	3,60	7,98
3,60	5,16	4,00	8,81
4,00	5,67	4,50	9,83
5,00	6,90	5,00	10,80
6,30	8,38	5,60	12,00
		6,30	13,30
		7,10	14,80
		8,00	16,40
		8,80	17,80
		10,00	19,70
70 x 40 x 2,90	4,69	100 x 60 x 3,00	7,22
3,20	5,14	3,60	8,55
3,60	5,72	4,00	9,44
4,00	6,30	4,50	10,50
5,00	7,68	5,00	11,60
6,30	9,37	5,60	12,90
		6,00	13,00
		6,30	14,30
		7,10	15,90
		8,00	17,70
		8,80	19,20
		10,00	21,30
80 x 40 x 2,90	5,14	100 x 80 x 5,60	14,00
3,20	5,64	6,00	14,90
3,60	6,29	6,30	15,50
4,00	6,93	8,00	18,90
5,00	8,47		
5,60	9,35		
6,30	10,40		
7,10	11,50		
8,00	12,60		
80 x 60 x 6,00	11,10		
8,00	13,80		



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
110 x 60 x 3,20	8,10	140 x 40 x 3,00	8,01
3,60	9,04	4,00	10,48
4,00	9,98	5,00	12,67
4,50	11,10		
5,00	12,30		
5,60	13,60		
6,30	15,10		
7,10	16,80		
8,00	18,60		
8,80	20,10		
120 x 50 x 4,00	9,85	140 x 60 x 3,00	8,96
5,00	11,89	4,00	11,73
		5,00	14,24
		6,00	16,74
		8,00	21,39
120 x 60 x 3,60	9,61	140 x 70 x 3,00	9,43
4,00	10,60	4,00	12,50
4,50	11,80	4,50	14,00
5,00	13,00	5,00	15,40
5,60	14,50	5,60	17,10
6,00	14,90	6,00	17,70
6,30	16,10	6,30	19,00
7,10	17,90	7,10	21,20
8,00	19,80	8,00	23,60
8,80	21,50	8,80	25,60
10,00	23,90	10,00	28,60
120 x 80 x 3,60	10,70	140 x 80 x 3,00	9,90
4,00	11,90	3,60	11,90
4,50	13,20	4,00	13,10
5,00	14,60	5,00	16,20
5,60	16,20	5,60	18,00
6,00	16,70	6,00	18,60
6,30	18,10	6,30	20,00
8,00	22,30	7,10	22,30
8,80	24,30	8,00	24,80
10,00	27,00	8,80	27,00
		10,00	30,20
120 x 100 x 4,00	13,00	150 x 40 x 4,00	11,11
5,00	15,80		
6,00	18,60		
7,10	21,60		




Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
150 x 50 x 4,00 5,00	11,73 14,24	160 x 90 x 4,00 4,50 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00 12,50	14,90 16,60 18,30 20,40 21,40 22,70 25,30 28,10 30,50 34,10 41,00
150 x 75 x 5,00 6,00	16,88 19,09	180 x 80 x 4,00 5,00 5,60 6,00 6,30 7,10 8,00	15,40 18,90 21,00 22,40 23,40 26,00 28,90
150 x 100 x 3,00 4,00 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00 12,50	11,30 14,90 18,30 20,40 21,40 22,70 25,30 28,10 30,50 41,00	180 x 100 x 4,00 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00 12,50 14,20 16,00	16,80 20,70 23,00 24,30 25,60 28,60 31,90 34,70 38,80 46,90 52,00 57,10
160 x 80 x 4,00 4,50 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00	14,20 15,90 17,50 19,50 20,50 21,70 24,20 26,80 29,20 32,50	180 x 120 x 4,00 5,00 6,00 6,30 8,00 10,00	17,80 22,10 26,20 27,40 33,90 40,60



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
200 x 40 x 3,00 4,00	10,80 14,20	220 x 120 x 6,00 6,30 8,00 8,80 10,00 11,00 12,50 14,20 16,00	29,93 31,60 39,40 43,00 48,20 52,50 58,70 65,40 72,20
200 x 80 x 4,00 5,00 5,60 6,00 6,30 8,00	16,80 20,50 22,80 24,30 25,40 31,40	250 x 100 x 5,00 5,60 6,00 6,30 8,00 10,00	26,00 28,90 30,90 32,30 40,20 48,40
200 x 100 x 4,00 5,00 5,60 6,30 7,10 8,00 8,80 10,00 12,00 12,50 14,20 16,00	18,00 22,70 24,80 26,20 27,60 30,80 34,40 37,50 41,90 48,51 50,80 56,50	250 x 150 x 6,00 6,30 8,00 10,00 12,00 12,50 16,00	35,58 37,50 46,90 57,60 67,35 70,40 87,30
200 x 120 x 4,00 5,00 6,00 6,30 8,00 10,00 12,00 12,50 14,20 16,00	19,30 23,70 28,00 29,60 36,90 45,10 52,30 54,70 60,90 67,20	260 x 140 x 6,00 6,30 7,10 8,00 8,80 10,00 12,00 12,50 14,20 16,00	35,68 37,50 42,00 46,90 51,30 57,60 67,35 70,40 78,80 87,30
200 x 150 x 4,00 6,00 8,00 10,00 12,00	21,20 30,90 40,20 48,50 57,93	260 x 180 x 6,00 6,30 7,10 8,00 10,00 12,50 14,20 16,00	39,30 41,50 46,40 52,00 63,00 78,30 87,70 97,30



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
300 x 100 x 5,00	30,00	400 x 200 x 6,00	55,25
6,00	35,82	8,00	85,70
6,30	37,79	10,00	90,70
8,00	46,94	12,00	105,02
10,00	57,45	12,50	112,00
12,00	67,35	14,00	120,97
		16,00	142,00
300 x 150 x 6,00	40,40	400 x 300 x 8,00	84,36
8,00	53,00	10,00	104,33
10,00	65,10	12,00	123,87
12,00	76,80	12,50	128,26
		14,00	142,95
300 x 200 x 5,00	37,80	450 x 150 x 8,00	71,63
6,00	45,00	10,00	88,36
6,30	47,10	12,50	108,63
8,00	59,50		
10,00	73,30		
12,00	86,18		
12,50	90,10		
14,00	98,99		
16,00	117,00		
350 x 100 x 10,00	64,82	450 x 250 x 6,00	63,94
		8,00	84,36
		10,00	106,00
		12,00	123,87
		12,50	132,00
		14,00	142,95
		16,00	167,00
350 x 250 x 8,00	71,80	500 x 200 x 8,00	84,19
12,00	105,02	10,00	104,06
12,50	108,63	12,00	127,36
400 x 100 x 8,00	59,24	500 x 300 x 8,00	96,75
10,00	72,93	10,00	122,00
12,50	89,01	12,50	152,00
		16,00	192,00
		20,00	237,00




Edelstahl Rundrohre

1.4301 (geschweißt)

Abmessung mm	kg/mtr.
6,0 x 1,0	0,13
8,0 x 1,0	0,18
10,0 x 1,0 10,0 x 1,5	0,23 0,32
12,0 x 1,0 12,0 x 1,5	0,28 0,40
14,0 x 1,0 14,0 x 1,5 14,0 x 2,0	0,33 0,48 0,61
15,0 x 1,0 15,0 x 1,5 15,0 x 2,0	0,36 0,51 0,66
16,0 x 1,0 16,0 x 1,5 16,0 x 2,0	0,38 0,55 0,71
17,2 x 1,6 17,2 x 2,0 17,2 x 2,3	0,63 0,77 0,86
18,0 x 1,0 18,0 x 1,5 18,0 x 2,0	0,43 0,63 0,81
20,0 x 1,0 20,0 x 1,5 20,0 x 2,0 20,0 x 3,0	0,48 0,70 0,91 1,28

Abmessung mm	kg/mtr.
21,3 x 1,6 21,3 x 2,0 21,3 x 2,6	0,79 0,97 1,22
22,0 x 1,0 22,0 x 1,5 22,0 x 2,0	0,53 0,78 1,01
25,0 x 1,0 25,0 x 1,5 25,0 x 2,0 25,0 x 2,5 25,0 x 3,0	0,61 0,89 1,16 1,41 1,66
26,9 x 1,6 26,9 x 2,0 26,9 x 2,6 26,9 x 3,2	1,02 1,25 1,59 1,89
28,0 x 1,0 28,0 x 1,5 28,0 x 2,0	0,68 1,00 1,31
30,0 x 1,0 30,0 x 1,5 30,0 x 2,0 30,0 x 2,5 30,0 x 3,0	0,72 1,07 1,41 1,73 2,03
32,0 x 1,5 32,0 x 2,0	1,15 1,51
33,7 x 2,0 33,7 x 2,6 33,7 x 2,9 33,7 x 3,2 33,7 x 3,6	1,58 2,03 2,24 2,45 2,72
34,0 x 1,0 34,0 x 1,5	0,83 1,22
35,0 x 1,5 35,0 x 2,0 35,0 x 2,5	1,26 1,66 2,04

Viele der aufgeführten Abmessungen lagern wir auch in geschliffener Ausführung !



Edelstahl Rundrohre

Güte 1.4301 (geschweißt)

Abmessung mm	kg/mtr.	Abmessung mm	kg/mtr.
38,0 x 1,0 38,0 x 1,5 38,0 x 2,0 38,0 x 2,6 38,0 x 3,0	0,93 1,38 1,81 2,30 2,64	57,0 x 2,0 57,0 x 2,9	2,76 3,92
40,0 x 1,0 40,0 x 1,5 40,0 x 2,0 40,0 x 2,5 40,0 x 3,0	0,98 1,45 1,91 2,35 2,78	60,3 x 1,6 60,3 x 2,0 60,3 x 2,6 60,3 x 2,9 60,3 x 3,6	2,36 2,93 3,76 4,17 5,12
42,4 x 1,6 42,4 x 2,0 42,4 x 2,6 42,4 x 2,9 42,4 x 3,6	1,64 2,02 2,59 2,87 3,50	63,5 x 1,5 63,5 x 2,0	2,33 3,09
44,5 x 1,5 44,5 x 2,0	1,62 2,13	70,0 x 1,5 70,0 x 2,0 70,0 x 2,9	2,58 3,40 4,87
45,0 x 2,0 45,0 x 3,0	2,15 3,16	76,1 x 1,6 76,1 x 2,0 76,1 x 2,6 76,1 x 2,9 76,1 x 4,0	2,99 3,72 4,79 5,32 7,23
48,3 x 2,0 48,3 x 2,6 48,3 x 2,9 48,3 x 3,2 48,3 x 3,6	2,32 2,98 3,29 3,62 4,03	80,0 x 2,0	3,90
50,0 x 1,5 50,0 x 2,0	1,83 2,41	85,0 x 2,0	4,15
51,0 x 2,0	2,46	88,9 x 2,0 88,9 x 2,6 88,9 x 2,9 88,9 x 4,0	4,35 5,62 6,25 8,51
52,0 x 1,0 52,0 x 1,5	1,27 1,90	101,6 x 2,0 101,6 x 3,0 101,6 x 4,0	4,99 7,53 9,78
54,0 x 2,0	2,61	108,0 x 2,0 108,0 x 2,5 108,0 x 3,0	5,31 6,61 7,89

Viele der aufgeführten Abmessungen lagern wir auch in geschliffener Ausführung!




Edelstahl Rundrohre

1.4301 (geschweißt)

Abmessung mm	kg/mtr.
114,3 x 2,0	5,63
114,3 x 2,6	7,28
114,3 x 3,0	8,37
114,3 x 3,6	9,98
114,3 x 4,5	12,50
133,0 x 2,0	6,56
133,0 x 3,0	9,77
133,0 x 4,0	12,92
139,7 x 2,0	6,90
139,7 x 3,0	10,27
139,7 x 4,0	13,60
159,0 x 2,0	7,62
159,0 x 3,0	11,35
168,0 x 2,0	8,33
168,3 x 2,6	10,79
168,3 x 3,0	12,42
168,3 x 4,0	16,46
204,0 x 2,0	10,21

Abmessung mm	kg/mtr.
219,1 x 2,0	10,87
219,1 x 3,0	16,24
254,0 x 2,0	12,62
256,0 x 2,0	12,72
256,0 x 3,0	19,00
256,0 x 4,0	25,24
273,0 x 3,0	20,28
323,9 x 2,0	15,12

Viele der aufgeführten Abmessungen lagern wir auch in geschliffener Ausführung!



Edelstahl Quadratrohre

1.4301 (geschweißt)

Abmessung mm	kg/mtr.
10 x 10 x 1,0	0,32
15 x 15 x 1,0 15 x 15 x 1,5	0,48 0,70
20 x 20 x 1,0 20 x 20 x 1,5 20 x 20 x 2,0	0,61 0,89 1,16
25 x 25 x 1,0 25 x 25 x 1,5 25 x 25 x 2,0 25 x 25 x 2,5	0,77 1,14 1,51 1,75
30 x 30 x 1,0 30 x 30 x 1,5 30 x 30 x 2,0 30 x 30 x 2,5 30 x 30 x 3,0	0,93 1,38 1,84 2,24 2,78
35 x 35 x 1,5 35 x 35 x 2,0	1,62 2,15
40 x 40 x 1,5 40 x 40 x 2,0 40 x 40 x 2,5 40 x 40 x 3,0 40 x 40 x 4,0	1,86 2,46 3,17 3,76 4,71
45 x 45 x 2,0	2,81

Abmessung mm	kg/mtr.
50 x 50 x 1,5 50 x 50 x 2,0 50 x 50 x 3,0 50 x 50 x 4,0 50 x 50 x 5,0	2,35 3,10 4,66 5,83 7,04
60 x 60 x 1,5 60 x 60 x 2,0 60 x 60 x 2,5 60 x 60 x 3,0 60 x 60 x 4,0 60 x 60 x 5,0	2,82 3,72 4,61 5,49 7,11 8,94
70 x 70 x 2,0 70 x 70 x 3,0	4,34 6,46
80 x 80 x 2,0 80 x 80 x 3,0 80 x 80 x 4,0 80 x 80 x 5,0	4,99 7,53 9,82 12,32
100 x 100 x 2,0 100 x 100 x 3,0 100 x 100 x 4,0 100 x 100 x 5,0 100 x 100 x 6,0	6,40 9,54 12,23 15,12 18,24
120 x 120 x 3,0 120 x 120 x 4,0 120 x 120 x 5,0 120 x 120 x 6,0	11,26 14,91 18,00 21,60
150 x 150 x 3,0 150 x 150 x 4,0 150 x 150 x 5,0 150 x 150 x 6,0	14,07 18,74 22,81 27,36
200 x 200 x 4,0 200 x 200 x 5,0 200 x 200 x 6,0	25,03 30,80 36,96

Viele der aufgeführten Abmessungen lagern wir auch in geschliffener Ausführung!




Edelstahl Rechteckrohre

1.4301 (geschweißt)

Abmessung mm	kg/mtr.
20 x 10 x 1,5	0,70
20 x 15 x 1,5	0,72
25 x 15 x 1,5	0,89
30 x 10 x 1,5	0,89
30 x 15 x 1,5	0,99
30 x 20 x 1,5 30 x 20 x 2,0	1,15 1,51
40 x 10 x 1,5 40 x 10 x 2,0	1,15 1,50
40 x 20 x 1,5 40 x 20 x 2,0	1,38 1,84
40 x 30 x 1,5 40 x 30 x 2,0	1,63 2,15
50 x 10 x 1,5 50 x 10 x 2,0	1,38 1,84
50 x 20 x 1,5 50 x 20 x 2,0	1,63 2,15
50 x 25 x 1,5 50 x 25 x 2,0	1,76 2,32
50 x 30 x 1,5 50 x 30 x 2,0 50 x 30 x 3,0	1,86 2,45 3,76

Abmessung mm	kg/mtr.
50 x 40 x 2,0	2,81
60 x 10 x 1,5 60 x 10 x 2,0	1,61 2,15
60 x 20 x 1,5 60 x 20 x 2,0	1,86 2,46
60 x 30 x 1,5 60 x 30 x 2,0 60 x 30 x 3,0	2,13 2,81 4,14
60 x 40 x 1,5 60 x 40 x 2,0 60 x 40 x 2,5 60 x 40 x 3,0 60 x 40 x 4,0	2,35 3,11 3,82 4,65 5,02
80 x 10 x 1,5 80 x 10 x 2,0	2,12 2,81
80 x 20 x 2,0	3,08
80 x 40 x 2,0 80 x 40 x 3,0 80 x 40 x 4,0	3,72 5,50 7,23
80 x 60 x 2,0 80 x 60 x 3,0 80 x 60 x 5,0	4,37 6,41 10,63
100 x 20 x 2,0	3,72
100 x 40 x 2,0 100 x 40 x 2,5 100 x 40 x 3,0	4,34 5,41 6,53
100 x 50 x 2,0 100 x 50 x 3,0 100 x 50 x 4,0 100 x 50 x 5,0	4,61 6,84 9,20 10,80
100 x 60 x 2,0 100 x 60 x 3,0 100 x 60 x 4,0	4,89 7,41 9,65

Viele der aufgeführten Abmessungen lagern wir auch in geschliffener Ausführung!



Edelstahl Rechteckrohre

1.4301 (geschweißt)

Abmessung mm	kg/mtr.	Abmessung mm	kg/mtr.
120 x 40 x 2,0 120 x 40 x 3,0	4,99 7,41	150 x 100 x 3,0 150 x 100 x 4,0 150 x 100 x 5,0	11,67 15,42 18,80
120 x 60 x 3,0 120 x 60 x 4,0 120 x 60 x 5,0	8,38 11,09 13,20	160 x 80 x 3,0 160 x 80 x 4,0 160 x 80 x 5,0	11,19 14,79 18,00
120 x 80 x 3,0 120 x 80 x 4,0 120 x 80 x 5,0 120 x 80 x 6,0	9,34 12,35 15,32 17,50	200 x 100 x 3,0 200 x 100 x 4,0 200 x 100 x 5,0 200 x 100 x 6,0	14,07 18,63 22,80 27,36
140 x 80 x 3,0 140 x 80 x 4,0 140 x 80 x 5,0	10,23 13,50 16,40	250 x 100 x 4,0 250 x 100 x 5,0	21,40 27,10
150 x 50 x 3,0 150 x 50 x 4,0 150 x 50 x 5,0	9,39 12,23 14,80	250 x 150 x 4,0 250 x 150 x 5,0	25,04 30,97


Viele der aufgeführten Abmessungen lagern wir auch in geschliffener Ausführung!

Edelstahl-Rohrbögen

1.4541 (ähnlich DIN 2605 Norm 3, 90°)

Abmessung	Abmessung
20,0 x 2,0	48,3 x 2,0
21,3 x 2,0	50,0 x 2,0
26,9 x 2,0	57,0 x 2,0
30,0 x 2,0	60,3 x 2,0
33,7 x 2,0	76,1 x 2,0
35,0 x 2,0	80,0 x 2,0
38,0 x 2,0	88,9 x 2,0
40,0 x 2,0	114,3 x 2,0
42,4 x 2,0	


Gängige Abmessungen lagern wir auch in geschliffener Ausführung!



Aluminium Rundrohre

Al Mg Si 0,5

Abmessung	kg/mtr.	Abmessung	kg/mtr.
6 x 1,0	0,05	30 x 5,0	1,06
8 x 1,0	0,06	32 x 1,5	0,39
10 x 1,0	0,08	32 x 2,0	0,51
10 x 2,0	0,14	32 x 3,0	0,74
12 x 1,0	0,10	35 x 1,5	0,43
12 x 1,5	0,14	35 x 2,0	0,56
12 x 2,0	0,17	35 x 2,5	0,69
14 x 2,0	0,21	35 x 3,0	0,82
15 x 1,0	0,12	35 x 4,0	1,06
15 x 1,5	0,18	35 x 5,0	1,28
15 x 2,0	0,23	38 x 1,5	0,47
16 x 1,0	0,13	38 x 3,0	0,90
16 x 1,5	0,19	40 x 1,5	0,49
16 x 2,0	0,24	40 x 2,0	0,65
16 x 2,5	0,29	40 x 2,5	0,80
18 x 1,0	0,15	40 x 3,0	0,95
18 x 1,5	0,22	40 x 4,0	1,23
18 x 2,0	0,28	40 x 5,0	1,49
19 x 1,0	0,16	40 x 10,0	2,55
20 x 1,0	0,17	42 x 1,5	0,52
20 x 1,5	0,24	42 x 2,0	0,68
20 x 2,0	0,31	42 x 2,5	0,84
20 x 2,5	0,38	42 x 3,0	0,99
20 x 3,0	0,43	42 x 3,5	1,15
20 x 4,0	0,55	45 x 1,5	0,56
20 x 5,0	0,65	45 x 2,0	0,73
22 x 1,0	0,18	45 x 2,5	0,91
22 x 1,5	0,27	45 x 3,0	1,07
24 x 1,5	0,29	45 x 5,0	1,70
25 x 1,0	0,21	46 x 3,0	1,10
25 x 1,5	0,30	48 x 2,5	0,97
25 x 2,0	0,40	48 x 3,0	1,15
25 x 2,5	0,48	48 x 4,0	1,50
25 x 3,0	0,57	50 x 1,5	0,62
25 x 5,0	0,85	50 x 2,0	0,82
28 x 1,5	0,34	50 x 2,5	1,01
28 x 2,0	0,45	50 x 3,0	1,20
28 x 3,0	0,64	50 x 4,0	1,57
28 x 4,0	0,82	50 x 5,0	1,91
30 x 1,5	0,37	50 x 10,0	3,40
30 x 2,0	0,48	55 x 2,5	1,12
30 x 2,5	0,59	55 x 5,0	2,12
30 x 3,0	0,69	58 x 3,0	1,40
30 x 4,0	0,89	60 x 1,5	0,75



Aluminium Rundrohre

Al Mg Si 0,5

Abmessung	kg/mtr.	Abmessung	kg/mtr.
60 x 2,5	1,22	90 x 10	6,79
3,0	1,45	100 x 2,0	1,67
4,0	1,90	2,5	2,07
5,0	2,34	3,0	2,47
6,0	2,75	4,0	3,26
60 x 10	4,25	100 x 5,0	4,03
65 x 2,0	1,07	106 x 3,0	2,63
2,5	1,33	108 x 3,0	2,68
5,0	2,55	4,0	3,53
66 x 3,0	1,61	110 x 3,0	2,73
70 x 2,0	1,16	110 x 5,0	4,46
3,0	1,71	120 x 3,0	2,98
4,0	2,24	4,0	3,94
5,0	2,76	5,0	4,88
10,0	5,09	8,0	7,60
75 x 2,5	1,54	125 x 10	9,76
5,0	2,97	130 x 3,0	3,24
76 x 2,5	1,56	5,0	5,31
3,0	1,86	15,0	14,64
80 x 2,0	1,33	133 x 3,0	3,31
80 x 2,5	1,65	140 x 4,0	4,62
3,0	1,96	5,0	5,73
4,0	2,58	150 x 3,0	3,75
5,0	3,19	5,0	6,15
10,0	5,94	160 x 4,0	5,30
85 x 5,0	3,40	160 x 5,0	6,58
86 x 3,0	2,12	165 x 5,0	6,79
90 x 2,0	1,50	180 x 5,0	7,43
3,0	2,22	200 x 5,0	8,28
5,0	3,61	208 x 4,0	6,93



Aluminium Quadratrohre

Al Mg Si 0,5

Abmessung	kg/mtr.	Abmessung	kg/mtr.
15 x 15 x 1,5	0,22	50 x 50 x 2,0	1,04
15 x 15 x 2,0	0,29	2,5	1,29
		3,0	1,53
		4,0	1,99
		5,0	2,43
20 x 20 x 1,5	0,30	60 x 60 x 2,0	1,26
2,0	0,39	2,5	1,56
3,0	0,56	3,0	1,85
		4,0	2,42
25 x 25 x 1,5	0,39	65 x 65 x 2,5	1,69
2,0	0,50		
3,0	0,72	70 x 70 x 2,0	1,47
		4,0	2,86
30 x 30 x 1,5	0,47		
2,0	0,61	80 x 80 x 2,0	1,69
2,5	0,75	3,0	2,50
3,0	0,88	4,0	3,29
		5,0	4,05
34 x 34 x 2,0	0,70	90 x 90 x 4,0	3,72
3,0	1,01		
35 x 35 x 2,0	0,72	100 x 100 x 2,0	2,12
3,0	1,04	3,0	3,15
		4,0	4,15
40 x 40 x 1,5	0,63	5,0	5,13
2,0	0,83		
2,5	1,02	120 x 120 x 2,5	3,18
3,0	1,20	5,0	6,21
3,5	1,38		
4,0	1,56	150 x 150 x 2,5	3,99
		5,0	7,83
45 x 45 x 2,0	0,93		



Aluminium Rechteckrohre

Al Mg Si 0,5

Abmessung	kg/mtr.
20 x 10 x 1,5	0,22
2,0	0,29
20 x 15 x 2,0	0,34
25 x 10 x 2,0	0,34
25 x 15 x 1,5	0,30
25 x 15 x 1,8	0,36
2,0	0,39
25 x 20 x 2,0	0,45
30 x 10 x 1,5	0,30
2,0	0,39
30 x 15 x 1,5	0,34
2,0	0,45
30 x 20 x 1,5	0,39
2,0	0,50
3,0	0,72
30 x 25 x 2,0	0,56
34 x 20 x 2,0	0,55
3,0	0,78
35 x 15 x 2,0	0,50
35 x 20 x 2,0	0,56
35 x 25 x 2,0	0,61
40 x 10 x 2,0	0,50
40 x 15 x 1,5	0,43
2,0	0,56
40 x 20 x 1,5	0,47
40 x 20 x 2,0	0,61
2,5	0,75
3,0	0,88
4,0	1,13
40 x 25 x 2,0	0,66
40 x 25 x 3,0	0,96
40 x 30 x 2,0	0,72
2,5	0,88
3,0	1,04
4,0	1,34
45 x 20 x 2,0	0,66
45 x 25 x 2,0	0,72
45 x 34 x 3,0	1,19
50 x 15 x 2,0	0,66
50 x 20 x 2,0	0,72

Abmessung	kg/mtr.
50 x 20 x 3,0	1,04
4,0	1,34
50 x 25 x 2,0	0,77
2,5	0,95
3,0	1,12
50 x 30 x 2,0	0,83
2,5	1,02
3,0	1,20
50 x 34 x 3,0	1,27
50 x 40 x 2,0	0,93
50 x 40 x 2,5	1,15
3,0	1,37
4,0	1,78
50 x 45 x 2,0	0,99
55 x 50 x 3,0	1,61
60 x 20 x 2,0	0,83
60 x 25 x 2,0	0,88
3,0	1,28
60 x 30 x 2,0	0,93
3,0	1,37
60 x 34 x 3,0	1,43
60 x 40 x 2,0	1,04
2,5	1,29
3,0	1,53
4,0	1,99
60 x 50 x 3,0	1,69
4,0	2,21
70 x 20 x 2,0	0,93
70 x 25 x 2,5	1,22
70 x 30 x 2,0	1,04
70 x 30 x 3,0	1,53
70 x 40 x 3,0	1,69
75 x 50 x 3,0	1,93
80 x 20 x 2,0	1,04
2,5	1,29
80 x 25 x 2,0	1,10
80 x 30 x 2,0	1,15
3,0	1,69
4,0	2,21
80 x 40 x 2,0	1,26



Aluminium Rechteckrohre

Al Mg Si 0,5

Abmessung	kg/mtr.	Abmessung	kg/mtr.
80 x 40 x 2,5 3,0 4,0	1,56 1,85 2,42	120 x 40 x 4,0 120 x 50 x 3,0 4,0	3,29 2,66 3,50
80 x 50 x 2,0 3,0	1,37 2,01	120 x 60 x 3,0 4,0	2,82 3,72
80 x 50 x 4,0 80 x 60 x 2,5 3,0 4,0	2,64 1,83 2,18 2,86	120 x 80 x 3,0 130 x 30 x 3,0 130 x 50 x 4,0 140 x 20 x 3,0 140 x 40 x 4,0	3,15 2,50 3,72 2,50 3,72
90 x 40 x 3,0	2,01	140 x 60 x 2,5 140 x 80 x 4,0 6,0	2,64 4,58 6,74
100 x 18 x 2,0 100 x 20 x 2,0 100 x 25 x 2,0 100 x 30 x 2,0 3,0	1,24 1,26 1,31 1,37 2,01	150 x 30 x 2,8 150 x 40 x 4,0	2,64 3,94
100 x 40 x 2,0 2,5 3,0 4,0	1,47 1,83 2,18 2,86	150 x 50 x 2,0 4,0	2,12 4,15
100 x 50 x 2,0	1,58	150 x 60 x 5,0 150x 100x 3,0	5,40 3,96
100 x 50 x 3,0 4,0 5,0	2,34 3,07 3,78	160 x 40 x 4,0	4,15
100 x 60 x 2,0 3,0	1,69 2,50	160 x 80 x 4,0 170 x 70 x 4,0 180 x 40 x 4,0 180 x 50 x 4,0	5,02 5,02 4,58 4,80
100 x 60 x 3,0 3,0	2,34	180 x 60 x 3,0	3,80
100 x 80 x 2,5 3,0	2,37 2,82	180 x 80 x 4,0 200 x 18 x 2,0 200 x 50 x 3,0 4,0	5,45 2,32 3,96 5,23
110 x 60 x 4,0	3,50	200 x 60 x 4,0	5,45
120 x 20 x 2,0	1,47	200 x 80 x 4,0 200 x 100 x 4,0 5,0	5,88 6,31 7,83
120 x 30 x 2,0 3,0	1,58 2,34	300 x 120 x 4,5	9,99
120 x 40 x 2,0 2,5	1,69 2,10		
3,0	2,50		