



Quadratrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
10 x 10 x 1,00 1,25 1,50	0,28 0,34 0,40	- - -	+- + +	0,32 0,38 0,44	++ ++ +
12 x 12 x 1,00 1,50	0,35 0,49	- -	+- +	0,40 0,53	++
15 x 15 x 1,00 1,50 2,00	0,44 0,63 0,81	- - +	+- + -	0,51 0,70 0,89	++ ++ +
16 x 16 x 1,00 1,50 2,00	0,47 0,67 0,85	- - -	+- + +	0,54 0,74 0,95	++ ++ +
18 x 18 x 1,50 2,00	0,77 1,00	- -	+- +	0,85 1,08	++
20 x 20 x 1,00 1,25 1,50 2,00 2,50 3,00	0,60 0,73 0,87 1,12 1,33 1,60	- - - +	+- + + +- - -	0,69 0,82 0,96 1,22 1,45 1,68	++ ++ + ++ + +
22 x 22 x 1,50	0,95	-	+	1,07	+
25 x 25 x 1,00 1,25 1,50 2,00 2,50 3,00	0,75 0,93 1,10 1,44 1,76 1,92	- - - +	+- + + +- - -	0,86 1,04 1,22 1,56 1,88 2,17	++ ++ + ++ + +
30 x 30 x 1,00 1,25 1,50 2,00 2,50 3,00 4,00	0,91 1,13 1,34 1,75 2,15 2,39 3,32	- - - +	+- + + +- - - -	1,05 1,26 1,47 1,90 2,29 2,67 3,40	++ ++ + ++ + + +
32 x 32 x 1,50 2,00	1,44 1,88	- -	+- +	1,58 2,03	++
34 x 34 x 1,50 2,00 2,50 3,00	1,53 2,00 2,46 2,77	- - - +	+- + - -	1,68 2,17 2,62 3,07	++ ++ + +



Quadratrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
35 x 35 x 1,50	1,57	-	+	1,74	+
2,00	2,07	+	+	2,24	+
2,50	2,54	+	-	2,70	+
3,00	2,86	+	-	3,16	+
38 x 38 x 2,00	2,26	+	+	2,44	+
3,00	3,30	+	-	3,47	+
40 x 40 x 1,50	1,81	-	+	1,99	+
2,00	2,38	+	+	2,58	+
2,50	2,93	+	-	3,12	+
3,00	3,33	+	-	3,66	+
4,00	4,25	+	-	4,70	+
45 x 45 x 1,50	2,05	-	+	2,26	+
2,00	2,69	+	+	2,92	+
2,50	3,33	+	-	3,54	+
3,00	3,80	+	-	4,16	+
4,00	4,88	+	-	5,36	+
50 x 50 x 1,50	2,27	-	+	2,51	+
2,00	3,01	+	+	3,25	+
2,50	3,72	+	-	3,95	+
3,00	4,28	+	-	4,65	+
4,00	5,51	+	-	6,01	+
5,00	6,56	+	-	7,28	+
55 x 55 x 2,00	3,22	-	+	3,60	+
2,50	4,11	+	-	4,37	+
3,00	4,75	+	-	5,15	+
4,00	6,14	+	-	6,67	+
60 x 60 x 1,50	2,76	-	+	3,04	+
2,00	3,64	+	+	3,93	+
2,50	4,50	+	-	4,78	+
3,00	5,22	+	-	5,64	+
4,00	6,76	+	-	7,31	+
5,00	8,13	+	-	8,90	+
65 x 65 x 2,00	3,95	+	+	4,28	+
3,00	5,69	+	-	6,13	+
4,00	7,39	+	-	7,97	+
70 x 70 x 2,00	4,26	+	+	4,61	+
2,50	5,29	+	-	5,62	+
3,00	6,16	+	-	6,63	+
4,00	8,02	+	-	8,62	+
5,00	9,70	+	-	10,52	+




Quadratrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
75 x 75 x 2,00	4,58	+	+	4,95	+
80 x 80 x 2,00	4,89	-	+	5,29	+
2,50	6,07	+	+	6,44	+
3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,30	+
90 x 90 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+
100 x 100 x 2,50	7,64	-	+	8,11	+
3,00	8,99	+	-	9,80	+
4,00	11,80	+	-	12,54	+
5,00	14,40	+	-	15,37	+


Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
20 x 10 x 1,00	0,44	-	+	0,51	+
1,50	0,63	-	+	0,70	+
2,00	0,81	+	+	0,89	+
20 x 15 x 1,50	0,75	-	+	0,83	+
2,00	0,97	+	+	1,05	+
25 x 15 x 1,50	0,87	-	+	0,96	+
2,00	1,12	+	+	1,22	+
25 x 20 x 1,50	0,99	-	+	1,09	+
2,00	1,28	+	+	1,39	+
30 x 10 x 1,00	0,60	-	+	0,69	+
1,50	0,87	-	+	0,96	+
2,00	1,12	+	+	1,22	+
30 x 15 x 1,00	0,67	-	+	0,78	+
1,50	0,99	+	+	1,09	+
2,00	1,28	+	+	1,39	+




Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
30 x 25 x 1,50	1,22	-	+	1,34	+
2,00	1,59	+	+	1,73	+
2,50	1,96	+	-	2,08	+
3,00	2,16	+	-	2,43	+
34 x 15 x 2,00	1,41	+	+	1,52	+
34 x 20 x 1,50	1,20	-	+	1,32	+
2,00	1,56	+	+	1,70	+
35 x 10 x 1,50	0,99	+	+	1,09	+
2,00	1,28	+	+	1,39	+
35 x 15 x 1,50	1,10	+	+	1,22	+
2,00	1,44	+	+	1,56	+
35 x 20 x 1,50	1,22	+	+	1,34	+
2,00	1,59	+	+	1,73	+
2,50	1,96	+	+	2,08	+
35 x 25 x 1,50	1,34	+	+	1,47	+
2,00	1,75	+	+	1,90	+
2,50	2,15	+	-	2,29	+
3,00	2,39	+	-	2,67	+
40 x 10 x 1,50	1,10	+	+	1,22	+
2,00	1,44	+	+	1,56	+
40 x 15 x 1,50	1,22	-	+	1,34	+
2,00	1,59	+	+	1,73	+
40 x 20 x 1,00	0,91	-	+	1,05	+
1,25	1,13	-	+	1,26	+
1,50	1,34	+	+	1,47	+
2,00	1,75	+	+	1,90	+
2,50	2,15	+	-	2,29	+
3,00	2,39	+	-	2,67	+
40 x 25 x 1,50	1,46	-	+	1,61	+
2,00	1,91	+	+	2,07	+
2,50	2,34	+	-	2,50	+
3,00	2,63	+	-	2,92	+
40 x 30 x 1,50	1,57	+	+	1,74	+
2,00	2,07	+	+	2,24	+
2,50	2,54	+	-	2,70	+
3,00	2,86	+	-	3,16	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
45 x 20 x 1,50	1,46	+	+	1,61	+
2,00	1,91	+	+	2,07	+
2,50	2,34	+	-	2,50	+
45 x 25 x 1,50	1,57	+	+	1,74	+
2,00	2,07	+	+	2,24	+
2,50	2,54	+	-	2,70	+
3,00	2,86	+	-	3,16	+
45 x 30 x 2,00	2,22	+	+	2,41	+
45 x 35 x 1,50	1,81	+	+	1,99	+
50 x 10 x 1,50	1,34	+	+	1,47	+
2,00	1,75	+	+	1,90	+
50 x 15 x 1,50	1,46	-	+	1,61	+
2,00	1,91	+	+	2,07	+
50 x 20 x 1,50	1,57	-	+	1,74	+
2,00	2,07	+	+	2,24	+
2,50	2,54	+	+	2,70	+
3,00	2,86	+	+	3,16	+
50 x 25 x 1,50	1,69	-	+	1,87	+
2,00	2,22	+	+	2,14	+
2,50	2,74	+	-	2,92	+
3,00	3,10	+	-	3,41	+
50 x 30 x 1,50	1,81	+	+	1,99	+
2,00	2,38	+	+	2,58	+
2,50	2,93	+	-	3,12	+
3,00	3,33	+	-	3,66	+
4,00	4,25	+	-	4,70	+
50 x 34 x 1,50	1,90	-	+	2,10	+
2,00	2,51	-	+	2,71	+
2,50	3,09	+	-	3,29	+
50 x 35 x 1,50	1,93	-	+	2,12	+
2,00	2,54	+	+	2,74	+
2,50	3,10	+	-	3,33	+
3,00	3,57	+	-	3,91	+
50 x 40 x 1,50	2,05	+	+	2,26	+
2,00	2,69	+	+	2,92	+
2,50	3,33	+	-	3,54	+
3,00	3,80	+	-	4,16	+
4,00	4,88	+	-	5,37	+




Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
55 x 34 x 2,00	2,66	+	+	2,88	+
2,50	3,26	+	-	3,50	+
60 x 15 x 2,00	2,22	+	+	2,41	+
60 x 20 x 1,50	1,81	-	+	1,99	+
2,00	2,38	+	+	2,58	+
2,50	2,93	+	-	3,12	+
3,00	3,33	+	-	3,66	+
60 x 25 x 1,50	1,93	-	+	2,12	+
2,00	2,54	+	+	2,74	+
2,50	3,10	+	-	3,33	+
3,00	3,57	+	-	3,91	+
60 x 30 x 1,50	2,05	-	+	2,26	+
2,00	2,69	+	+	2,92	+
2,50	3,33	+	-	3,54	+
3,00	3,80	+	-	4,16	+
4,00	4,88	+	-	5,36	+
60 x 33 x 2,00	2,80	+	+	3,02	+
3,00	4,14	+	-	4,30	+
60 x 35 x 2,00	2,83	+	+	3,09	+
3,00	4,19	+	-	4,40	+
60 x 40 x 1,50	2,27	-	+	2,51	+
2,00	3,01	+	+	3,25	+
2,50	3,72	+	-	3,95	+
3,00	4,28	+	-	4,65	+
4,00	5,51	+	-	6,01	+
5,00	6,56	+	-	7,28	+
60 x 45 x 2,00	3,14	+	+	3,42	+
60 x 50 x 2,00	3,32	+	+	3,60	+
2,50	4,11	+	-	4,37	+
3,00	4,75	+	-	5,15	+
4,00	6,14	+	-	6,67	+
70 x 20 x 2,00	2,69	+	+	2,92	+
70 x 30 x 2,00	3,01	+	+	3,25	+
3,00	4,28	+	-	4,65	+
4,00	5,51	+	-	6,01	+
70 x 35 x 2,00	3,14	+	+	3,42	+
3,00	4,48	+	-	4,89	+




Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
70 x 40 x 2,00	3,32	+	+	3,60	+
2,50	4,11	+	-	4,37	+
3,00	4,75	+	-	5,15	+
4,00	6,14	+	-	6,67	+
70 x 50 x 2,00	3,64	+	+	3,93	+
2,50	4,50	+	-	4,78	+
3,00	5,22	+	-	5,64	+
4,00	6,76	+	-	7,31	+
5,00	8,13	+	-	8,90	+
80 x 20 x 2,00	3,01	+	+	3,25	+
3,00	4,28	+	-	4,88	+
80 x 30 x 2,00	3,32	+	+	3,60	+
2,50	4,11	+	-	4,37	+
3,00	4,75	+	-	5,15	+
4,00	6,14	+	-	6,67	+
80 x 34 x 2,00	3,45	-	+	3,73	+
80 x 40 x 2,00	3,65	+	+	3,93	+
2,50	4,90	+	-	4,78	+
3,00	5,22	+	-	5,64	+
4,00	6,76	+	-	7,31	+
5,00	8,13	+	-	8,90	+
80 x 50 x 2,00	3,95	+	+	4,18	+
2,50	4,90	+	-	5,20	+
3,00	5,69	+	-	6,13	+
4,00	7,39	+	-	7,97	+
5,00	8,91	+	-	9,70	+
80 x 60 x 2,00	4,26	+	+	4,61	+
2,50	5,29	+	-	5,62	+
3,00	6,16	+	-	6,63	+
4,00	8,02	+	-	8,62	+
5,00	9,70	+	-	10,52	+
90 x 20 x 2,00	3,32	+	+	3,60	+
90 x 30 x 2,00	3,64	+	+	3,93	+
90 x 40 x 3,00	5,69	+	-	6,13	+
4,00	7,39	+	-	7,97	+
90 x 45 x 2,50	4,98	+	-	5,41	+
3,00	5,90	+	-	6,38	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
90 x 50 x 2,00	4,26	+	-	4,61	+
3,00	6,16	+	-	6,63	+
4,00	8,02	+	-	8,62	+
5,00	9,70	+	-	10,52	+
90 x 70 x 3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,13	+
100 x 20 x 2,00	3,64	+	-	3,93	+
3,00	5,22	+	-	5,64	+
100 x 30 x 2,00	3,95	+	-	4,35	+
3,00	5,69	+	-	6,13	+
4,00	7,39	+	-	7,97	+
100 x 40 x 2,00	4,26	+	-	4,61	+
2,50	5,29	+	-	5,62	+
3,00	6,16	+	-	6,63	+
4,00	8,02	+	-	8,62	+
5,00	9,70	+	-	10,52	+
100 x 50 x 2,00	4,58	+	-	4,95	+
2,50	5,68	+	-	6,03	+
3,00	6,63	+	-	7,12	+
4,00	8,65	+	-	9,28	+
5,00	10,50	+	-	11,32	+
100 x 60 x 2,50	6,07	+	-	6,44	+
3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,13	+
100 x 80 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+
110 x 70 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+
120 x 40 x 2,50	6,07	+	-	6,44	+
3,00	7,10	+	-	7,61	+
4,00	9,28	+	-	9,93	+
5,00	11,30	+	-	12,13	+
120 x 60 x 3,00	8,04	+	-	8,61	+
4,00	10,50	+	-	11,23	+
5,00	12,80	+	-	13,75	+



Rechteckrohre DIN 2395, geschweißt

Abmessung	Gewicht	schwarz	blank	Gewicht	verzinkt
mm	kg/mtr.			kg/mtr.	
120 x 80 x 3,00	8,99	+	-	9,60	+
4,00	11,80	+	-	12,54	+
5,00	14,40	+	-	15,37	+

Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
40 x 40 x 2,60	2,92	70 x 70 x 3,20	6,64
2,90	3,32	3,60	7,42
3,20	3,63	4,00	8,18
3,60	4,03	4,50	9,12
4,00	4,41	5,00	10,00
4,50	4,88	5,60	11,10
5,00	5,33	6,00	11,10
5,60	5,84	6,30	12,30
6,30	6,40	7,10	13,70
7,10	7,00	8,00	15,10
50 x 50 x 2,60	3,71	80 x 80 x 3,00	7,22
2,90	4,23	3,60	8,55
3,20	4,63	4,00	9,44
3,60	5,15	4,50	10,50
4,00	5,67	5,00	11,60
4,50	6,29	5,60	12,90
5,00	6,90	6,00	13,00
5,60	7,60	6,30	14,30
6,30	8,38	7,10	15,90
7,10	9,22	8,00	17,70
8,00	10,10	8,80	19,20
		10,00	21,30
60 x 60 x 2,90	5,14	90 x 90 x 3,60	9,68
3,20	5,64	4,00	10,70
3,60	6,29	4,50	11,90
4,00	6,93	5,00	13,20
4,50	7,71	5,60	14,60
5,00	8,47	6,00	14,90
5,60	9,35	6,30	16,30
6,00	9,40	7,10	18,10
6,30	10,40	8,00	20,20
7,10	11,50	8,80	21,90
8,00	12,60	10,00	24,40



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
100 x 100 x 3,60	10,80	140 x 140 x 4,00	16,80
4,00	12,00	5,00	21,10
4,50	13,40	5,60	23,30
5,00	14,70	6,00	24,30
5,60	16,40	6,30	26,00
6,00	16,70	7,10	29,00
6,30	18,30	8,00	32,40
7,10	20,40	8,80	35,50
8,00	22,70	10,00	39,60
8,80	24,70	12,50	48,10
10,00	27,60	14,20	53,60
12,50	33,30	16,00	59,20
110 x 110 x 4,00	13,10	150 x 150 x 3,00	13,70
4,50	14,70	4,00	18,00
5,00	16,20	5,00	22,70
5,60	18,00	5,60	24,80
6,00	18,60	6,00	26,20
6,30	20,00	6,30	27,60
7,10	22,30	8,00	34,40
8,00	24,80	8,80	37,50
8,80	27,00	10,00	41,90
10,00	30,20	12,00	48,51
		12,50	50,80
		14,20	56,50
120 x 120 x 3,00	10,80	160 x 160 x 4,00	19,30
4,00	14,40	5,00	23,70
4,50	16,10	5,60	26,50
5,00	17,80	6,00	28,00
5,60	19,70	6,30	29,60
6,00	20,50	7,10	33,10
6,30	22,00	8,00	36,90
7,10	24,60	8,80	40,20
8,00	27,40	10,00	45,10
8,80	29,80	12,50	54,70
10,00	33,30	14,20	60,90
12,50	40,30	16,00	67,20
125 x 125 x 4,00	14,90	180 x 180 x 5,00	26,80
5,00	18,20	5,60	30,85
6,00	21,40	6,00	31,80
10,00	32,70	6,30	33,60
		7,10	37,50
		8,00	41,90
		8,80	45,70
		10,00	51,40
		12,00	59,81
		12,50	62,60
		16,00	81,40



Stahlbauhohlprofile EN 10219 / 10210


Abmessung	Gewicht
mm	kg/mtr.
200 x 200 x 5,00	29,90
6,00	35,70
6,30	37,50
7,10	42,00
8,00	46,90
8,80	51,30
10,00	57,60
12,00	67,35
12,50	70,40
14,20	78,80
16,00	91,50
220 x 220 x 6,30	41,50
7,10	46,40
8,00	52,00
8,80	56,80
10,00	63,90
12,50	78,30
14,20	87,70
16,00	97,30
250 x 250 x 6,00	44,99
6,30	47,40
7,10	53,10
8,00	59,50
8,80	65,10
10,00	73,30
12,00	86,18
12,50	90,10
14,00	98,99
14,20	101,00
16,00	127,00
260 x 260 x 6,30	49,40
7,10	55,40
8,00	62,00
8,80	67,80
10,00	76,50
11,00	83,60
12,50	94,00
14,20	106,00
16,00	117,00
17,50	127,00

Abmessung	Gewicht
mm	kg/mtr.
300 x 300 x 6,00	55,25
8,00	73,10
10,00	90,70
12,00	105,02
12,50	112,00
14,00	120,97
16,00	142,00
350 x 350 x 8,00	85,70
10,00	100,00
12,00	123,87
12,50	132,00
14,00	142,95
16,00	167,00
400 x 400 x 8,00	96,75
10,00	122,00
12,50	152,00
16,00	192,00
20,00	237,00



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
50 x 30 x 2,60	2,92	90 x 50 x 3,20	6,64
2,90	3,32	4,00	8,18
3,60	4,03	4,50	9,12
4,00	4,41	5,00	10,00
5,00	5,33	6,30	12,30
6,00	6,40	7,10	13,70
		8,00	15,10
		8,80	16,40
		10,00	18,20
60 x 40 x 2,60	3,71	100 x 50 x 3,00	6,75
2,90	4,23	3,20	7,15
3,20	4,63	3,60	7,98
3,60	5,16	4,00	8,81
4,00	5,67	4,50	9,83
5,00	6,90	5,00	10,80
6,30	8,38	5,60	12,00
		6,30	13,30
		7,10	14,80
		8,00	16,40
		8,80	17,80
		10,00	19,70
70 x 40 x 2,90	4,69	100 x 60 x 3,00	7,22
3,20	5,14	3,60	8,55
3,60	5,72	4,00	9,44
4,00	6,30	4,50	10,50
5,00	7,68	5,00	11,60
6,30	9,37	5,60	12,90
		6,00	13,00
80 x 40 x 2,90	5,14	6,30	14,30
3,20	5,64	7,10	15,90
3,60	6,29	8,00	17,70
4,00	6,93	8,80	19,20
5,00	8,47	10,00	21,30
5,60	9,35		
6,30	10,40		
7,10	11,50		
8,00	12,60		
80 x 60 x 6,00	11,10	100 x 80 x 5,60	14,00
8,00	13,80	6,00	14,90
		6,30	15,50
		8,00	18,90



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
110 x 60 x 3,20	8,10	140 x 40 x 3,00	8,01
3,60	9,04	4,00	10,48
4,00	9,98	5,00	12,67
4,50	11,10		
5,00	12,30		
5,60	13,60		
6,30	15,10		
7,10	16,80		
8,00	18,60		
8,80	20,10		
120 x 50 x 4,00	9,85	140 x 60 x 3,00	8,96
5,00	11,89	4,00	11,73
		5,00	14,24
		6,00	16,74
		8,00	21,39
120 x 60 x 3,60	9,61	140 x 70 x 3,00	9,43
4,00	10,60	4,00	12,50
4,50	11,80	4,50	14,00
5,00	13,00	5,00	15,40
5,60	14,50	5,60	17,10
6,00	14,90	6,00	17,70
6,30	16,10	6,30	19,00
7,10	17,90	7,10	21,20
8,00	19,80	8,00	23,60
8,80	21,50	8,80	25,60
10,00	23,90	10,00	28,60
120 x 80 x 3,60	10,70	140 x 80 x 3,00	9,90
4,00	11,90	3,60	11,90
4,50	13,20	4,00	13,10
5,00	14,60	5,00	16,20
5,60	16,20	5,60	18,00
6,00	16,70	6,00	18,60
6,30	18,10	6,30	20,00
8,00	22,30	7,10	22,30
8,80	24,30	8,00	24,80
10,00	27,00	8,80	27,00
		10,00	30,20
120 x 100 x 4,00	13,00	150 x 40 x 4,00	11,11
5,00	15,80		
6,00	18,60		
7,10	21,60		




Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
150 x 50 x 4,00 5,00	11,73 14,24	160 x 90 x 4,00 4,50 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00 12,50	14,90 16,60 18,30 20,40 21,40 22,70 25,30 28,10 30,50 34,10 41,00
150 x 75 x 5,00 6,00	16,88 19,09	180 x 80 x 4,00 5,00 5,60 6,00 6,30 7,10 8,00	15,40 18,90 21,00 22,40 23,40 26,00 28,90
150 x 100 x 3,00 4,00 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00 12,50	11,30 14,90 18,30 20,40 21,40 22,70 25,30 28,10 30,50 41,00	180 x 100 x 4,00 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00 12,50 14,20 16,00	16,80 20,70 23,00 24,30 25,60 28,60 31,90 34,70 38,80 46,90 52,00 57,10
160 x 80 x 4,00 4,50 5,00 5,60 6,00 6,30 7,10 8,00 8,80 10,00	14,20 15,90 17,50 19,50 20,50 21,70 24,20 26,80 29,20 32,50	180 x 120 x 4,00 5,00 6,00 6,30 8,00 10,00	17,80 22,10 26,20 27,40 33,90 40,60



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
200 x 40 x 3,00 4,00	10,80 14,20	220 x 120 x 6,00 6,30 8,00 8,80 10,00 11,00 12,50 14,20 16,00	29,93 31,60 39,40 43,00 48,20 52,50 58,70 65,40 72,20
200 x 80 x 4,00 5,00 5,60 6,00 6,30 8,00	16,80 20,50 22,80 24,30 25,40 31,40	250 x 100 x 5,00 5,60 6,00 6,30 8,00 10,00	26,00 28,90 30,90 32,30 40,20 48,40
200 x 100 x 4,00 5,00 5,60 6,30 7,10 8,00 8,80 10,00 12,00 12,50 14,20 16,00	18,00 22,70 24,80 26,20 27,60 30,80 34,40 37,50 41,90 48,51 50,80 56,50	250 x 150 x 6,00 6,30 8,00 10,00 12,00 12,50 16,00	35,58 37,50 46,90 57,60 67,35 70,40 87,30
200 x 120 x 4,00 5,00 6,00 6,30 8,00 10,00 12,00 12,50 14,20 16,00	19,30 23,70 28,00 29,60 36,90 45,10 52,30 54,70 60,90 67,20	260 x 140 x 6,00 6,30 7,10 8,00 8,80 10,00 12,00 12,50 14,20 16,00	35,68 37,50 42,00 46,90 51,30 57,60 67,35 70,40 78,80 87,30
200 x 150 x 4,00 6,00 8,00 10,00 12,00	21,20 30,90 40,20 48,50 57,93	260 x 180 x 6,00 6,30 7,10 8,00 10,00 12,50 14,20 16,00	39,30 41,50 46,40 52,00 63,00 78,30 87,70 97,30



Stahlbauhohlprofile EN 10219 / 10210

Abmessung	Gewicht	Abmessung	Gewicht
mm	kg/mtr.	mm	kg/mtr.
300 x 100 x 5,00	30,00	400 x 200 x 6,00	55,25
6,00	35,82	8,00	85,70
6,30	37,79	10,00	90,70
8,00	46,94	12,00	105,02
10,00	57,45	12,50	112,00
12,00	67,35	14,00	120,97
		16,00	142,00
300 x 150 x 6,00	40,40	400 x 300 x 8,00	84,36
8,00	53,00	10,00	104,33
10,00	65,10	12,00	123,87
12,00	76,80	12,50	128,26
		14,00	142,95
300 x 200 x 5,00	37,80	450 x 150 x 8,00	71,63
6,00	45,00	10,00	88,36
6,30	47,10	12,50	108,63
8,00	59,50		
10,00	73,30		
12,00	86,18		
12,50	90,10		
14,00	98,99		
16,00	117,00		
350 x 100 x 10,00	64,82	450 x 250 x 6,00	63,94
		8,00	84,36
		10,00	106,00
		12,00	123,87
		12,50	132,00
		14,00	142,95
		16,00	167,00
350 x 250 x 8,00	71,80	500 x 200 x 8,00	84,19
12,00	105,02	10,00	104,06
12,50	108,63	12,00	127,36
400 x 100 x 8,00	59,24	500 x 300 x 8,00	96,75
10,00	72,93	10,00	122,00
12,50	89,01	12,50	152,00
		16,00	192,00
		20,00	237,00